

Brother HL-L9310CDWT - printer - colour - laser



Not in stock

SKU	HLL9310CDWTZW2
Product Description:	Brother HL-L9310CDWT - printer - colour - laser
Printer Type:	Workgroup printer - laser - colour
Weight:	28.7 kg
Media Size Class:	A4/Legal
Max Media Size:	Legal (216 x 356 mm), A4 (210 x 297 mm)
Min Media Size (Custom):	76.2 mm x 127 mm
Max Media Size (Custom):	216 mm x 356 mm

General

Printer Type: Workgroup printer - laser - colour

Printer

Print Speed: Up to 31 ppm - B/W - A4 (210 x 297 mm) ; Up to 31 ppm - colour - A4 (210 x 297 mm) ; Up to 33 ppm - B/W - ANSI A (Letter) (216 x 279 mm) ; Up to 33 ppm - colour - ANSI A (Letter) (216 x 279 mm) ; Up to 14 spm - B/W duplex - A4 (210 x 297 mm) ; Up to 14 spm - colour duplex - A4 (210 x 297 mm) ; Up to 14 spm - B/W duplex - ANSI A (Letter) (216 x 279 mm) ; Up to 14 spm - colour duplex - ANSI A (Letter) (216 x 279 mm)

Dimensions & Weight (Shipping)

Width (Shipping):	64.6 cm
Depth (Shipping):	60.3 cm
Height (Shipping):	88.5 cm
Weight (Shipping):	36.3 kg

Dimensions & Weight

Width:	44.1 cm
Depth:	48.6 cm
Height:	44.6 cm
Weight:	28.7 kg

Environmental Parameters

Min Operating Temperature:	10 °C
Max Operating Temperature:	32 °C
Humidity Range Operating:	20 - 80% (non-condensing)
Sound Emission (Operating):	49 dBA
Sound Emission (Quiet Mode):	44 dBA

Manufacturer Warranty

Service & Support: Limited warranty - 3 years

Built-in Devices:	Touch screen
Preview Screen Size:	2.7"
Connectivity Technology:	Wireless
Interface:	USB 2.0, Gigabit LAN, Wi-Fi(n), USB host, NFC
AirPrint Enabled:	Yes
Max Resolution (B&W):	2400 x 600 dpi
Max Resolution (Colour):	2400 x 600 dpi

Printer

Automatic Duplexing: Yes

PostScript Support: Standard

First Print Out Time B/W: 15 sec

First Print Out Time Colour: 15 sec

Language Simulation: PostScript 3, PCL 6, XPS, PDF 1.7

Fonts Included: 66 x scalable PostScript | 66 x scalable PCL | 12 x bitmapped PCL | 16 x barcode

Media Handling: 250-sheet input tray, 500-sheet input tray, 50-sheet multipurpose tray

Processor

Processor: 800 MHz

RAM

RAM Installed (Max): 1 GB

Media Handling

Media Type: Envelopes, labels, plain paper, recycled paper, thick paper, paper, thin paper, glossy paper

Media Size Class: A4/Legal

Max Media Size: Legal (216 x 356 mm), A4 (210 x 297 mm)

Min Media Size (Custom): 76.2 mm x 127 mm

Max Media Size (Custom): 216 mm x 356 mm

Environmental Standards

Blue Angel: Yes

ENERGY STAR: Yes

Nordic Swan Ecolabel: Yes

Software / System Requirements

Linux, Android, Microsoft Windows Server 2008 R2 x64 Edition, Microsoft Windows 7 (32/64 bits), Microsoft Windows Server 2008 (32/64-bits), Apple iOS, Windows 8 (32/64 bits), Microsoft Windows Server 2012 x64 Edition, Windows 8.1 (32/64 bits), Microsoft Windows Server 2012 R2 x64 Edition, Apple MacOS X 10.10, Windows 10 (32/64 bits), Windows Phone, Apple MacOS X 10.11, Apple macOS 10.12

Power

Power Device: Power supply - internal

Frequency Required: 50/60 Hz

Power Consumption Operational: 580 Watt

Power Consumption Stand by: 70 Watt

Power Consumption Sleep: 10 Watt

Miscellaneous

Consumables Included: 1 x toner cartridge (black) - up to 6500 pages ISO/IEC 19798 | 1 x toner cartridge (cyan) - up to 6500 pages ISO/IEC 19798 | 1 x toner cartridge (magenta) - up to 6500 pages ISO/IEC 19798 | 1 x toner cartridge (yellow) - up to 6500 pages ISO/IEC 19798 | 1 x drum - up to 30000 pages - Brother DR421CL | 1 x transmission belt - up to 50000 pages - Brother BU330CL | 1 x waste toner collector - up to 50000 pages - Brother WT320CL

Expansion / Connectivity

Connections: 1 x Gigabit LAN - RJ-45 | 1 x USB 2.0 - 4 pin USB Type B | 2 x USB host - 4 pin USB Type A

Media Handling

Media Sizes: ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), Folio (216 x 330 mm)

Envelope Sizes: International DL (110 x 220 mm), Com-10 (105 x 241 mm), International C5 (162 x 229 mm), Monarch (98.4 x 190.5 mm)

Media Weight: 60 g/m² - 163 g/m²

Total Media Capacity: 800 sheets

Media Feeders: Input tray: 1 x automatic - 250 sheets - Legal (216 x 356 mm) weight: 60 g/m² - 105 g/m² ; Bypass tray: 1 x automatic - 50 sheets - Legal (216 x 356 mm) weight: 60 g/m² - 163 g/m² ; Input tray: 1 x automatic - 500 sheets - Legal (216 x 356 mm) weight: 60 g/m² - 105 g/m²

Output Trays Capacity: 150 sheets

Duty Cycle

Monthly Duty Cycle (max): 80000 pages

Recommended Monthly Volume: 6000 pages

Networking

Networking: Print server

Remote Management Protocol: SNMP 1, Telnet, SNMP 3, IPP, SNMP 2c, HTTP, HTTPS, TFTP, IPPS

Security Protocols & Features: Kerberos, SSL, LEAP, WEP, WPA-PSK, TLS, IPsec, 802.1x, WPA2-PSK, TKIP, AES, TTLS, PEAP

