

# Brother MFC-L8340CDW - multifunction printer - colour



In Stock(4)

SKU	MFCL8340CDWRE1
Product Description:	Brother MFC-L8340CDW - multifunction printer - colour
Device Type:	Multifunction printer
Fax Type:	Super G3 - plain paper
Printing Technology:	LED (colour)
Recommended Monthly Volume:	Up to 4000 pages
Max Copying Speed:	Up to 30 ppm (mono) / up to 30 ppm (colour)
Max Copying Resolution:	Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)

## General

Printer Fonts: Scalable PCL x 73 ; Bitmapped PCL x 12 ; Scalable PostScript x 66

Device Type: Multifunction printer

Fax Type: Plain paper

Printing Technology: LED - colour

Recommended Monthly Volume: Up to 4000 pages

Display Colour Support: Colour

Display Features: Touch screen

Connection Availability: Yes

Interface: USB 2.0, Wi-Fi(n), USB host, NFC

AirPrint Enabled: Yes

Office Machine Features: Print from USB flash drive, scan to e-mail, scan to FTP, scan to SMB, scan to SharePoint, scan to OCR, scan to USB host, scan to image, scan to e-mail server, N-Up printing, scan to sFTP

## Memory

Standard Memory: 512 MB

## Environmental Parameters

Sound Emission: 48 dBA (operating)

Min Operating Temperature: 10 °C

Max Operating Temperature: 32.5 °C

Humidity Range Operating: 20 - 80%

## Dimensions & Weight (Shipping)

Shipping Width: 49.7 cm

Shipping Depth: 58.3 cm

Shipping Height: 53.3 cm

Shipping Weight: 24.9 kg

## Dimensions & Weight

Width: 41 cm

Depth: 46.2 cm

Height: 40.1 cm

Weight: 21.6 kg

## Manufacturer Warranty

Service & Support: Limited warranty - 3 years ; Italy: limited warranty - 1 year

## Environmental Standards

Nordic Swan Ecolabel: Yes

Produktdatablad genereret d. 08-09-2024 04:20.

Vær opmærksom på at priser og lagerstatus var gældende på genereringstidspunktet og dermed ikke kan garanteres.

## Copying

Max Copying Speed: Up to 30 ppm (mono) / up to 30 ppm (colour)

Max Copying Resolution: Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)

Max Copying Resolution Class: Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)

Max Document Enlargement: 400%

Max Document Reduction: 25%

Maximum Copies: 999

Automatic Duplexing: Yes

Copying Features: Sort, N-in-1, ID Copy

## Printing

Max Printing Resolution: Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)

Max Printing Resolution Class: Up to 600 x 600 dpi (mono) / up to 600 x 600 dpi (colour)

Max Printing Speed: Up to 30 ppm (mono) / up to 30 ppm (colour)

Printer Drivers / Emulations: PCL 5e, PCL 5c, BR-Script 3, PDF 1.7, PCL 6 (XL 3.0)

Automatic Duplexing: Yes

First Print Out Time B/W: 12.5 sec

First Print Out Time Colour: 12.5 sec

## Scanning

Scan Element: CIS

Optical Resolution: 1200 x 1200 dpi

Interpolated Resolution: 19200 x 19200 dpi

Grayscale Depth: 8-bit

Colour Depth: 24-bit

Colour Depth (Internal): 48-bit

## Fax Machine

## Environmental Standards

ENERGY STAR Certified: Yes

Blue Angel Compliant: Yes

## Miscellaneous

First Copy Out Time B/W: 14.5 sec

First Copy Out Time Colour: 14.5 sec

Consumables Included: 1 x toner cartridge (black) - up to 1000 pages ISO/IEC 19798 ; 1 x toner cartridge (cyan) - up to 1000 pages ISO/IEC 19798 ; 1 x toner cartridge (magenta) - up to 1000 pages ISO/IEC 19798 ; 1 x toner cartridge (yellow) - up to 1000 pages ISO/IEC 19798 ; 1 x drum - up to 30000 pages 3 pages per job - Brother DR248CL ; 1 x waste toner collector - up to 50000 pages 5 pages per job - Brother WT229CL ; 1 x belt - up to 60000 pages 3 pages per job - Brother BU229CL

## Power

Voltage Required: AC 220-240 V (50/60Hz)

Power Consumption Operational: 620 Watt

Power Consumption Standby: 70 Watt

Power Consumption Sleep: 10 Watt

## Connections

Interfaces: 1 x USB 2.0 ; 1 x USB host

Security Protocols & Features: Kerberos, Secure Print, SSL, WEP, WPA-PSK, TLS, IPsec, 802.1x, WPA2-PSK, AES, IP filtering, Wi-Fi Direct, EAP-TTLS, EAP-TLS, PEAP, WPA3-SAE, SMTP, automatic intrusion detection, digitally-signed firmware, port-based network access control, secure function lock v3, syslog reporting, setting lock, restrict network protocols, active directory, store print log

## Fax Machine

Compatibility: Super G3

Max Transmission Speed: 33.6 Kbps

Reception Memory Capacity: Up to 500 pages

Transmission Memory Capacity: Up to 500 pages

PC Faxing: Yes

## Fax Machine Features

Error Correction Mode (ECM): Yes

Speed Dialing: 300 station(s)

Telephone / Fax Switch: Yes

Broadcast Transmission: 350 stations

Features: Fax forwarding, automatic redialing, remote reception, auto reduction, Distinctive Ring Detection (DRD), Internet fax

## Connections

Operating System Support: Apple Mac OS, Linux, Chrome OS, Windows 11

Software Included: Brother iPrint&Scan

## Document & Media Handling

Original Type: Sheets

Document Feeder Capacity: 50 sheets

Min Media Size: 76.2 x 116 mm

Max Media Size: A4/Legal

Min Media Weight: 60 g/m<sup>2</sup>

Max Media Weight: 163 g/m<sup>2</sup>

Supported Media Type: Envelopes, plain paper, labels, recycled paper, bond paper, thin paper, thick paper, glossy paper

Supported Media Sizes: ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), Folio (216 x 330 mm), JIS B6 (182 x 257 mm), 216 x 355.6 mm, JIS B6 (128 x 182 mm), 76.2 x 116 mm, B5 (190 x 250 mm)

Supported Envelope Sizes: US No 10 (104.7 x 241.3 mm), International DL (110 x 220 mm), International C5 (162 x 229 mm), Monarch (98.4 x 190.5 mm)

Standard Media Capacity: 250 sheets

Bypass Feeder Capacity: 30 sheets

Output Trays Capacity: 150 sheets

## Document & Media Handling

**Document & Media Handling Details:** Input tray - 250 sheets - Legal (216 x 356 mm) weight: 60 g/m<sup>2</sup> - 163 g/m<sup>2</sup> ; ADF - 50 sheets - 215.9 x 355.6 mm weight: 64 g/m<sup>2</sup> - 105 g/m<sup>2</sup> ; Multi-purpose tray - 30 sheets - 216 x 355.6 mm weight: 60 g/m<sup>2</sup> - 163 g/m<sup>2</sup> ; Output tray - 150 sheets

**Speed Details:** Printing: up to 30 ppm (A4) - B/W ; Printing: up to 30 ppm (A4) - colour ; Copying: up to 30 ppm (A4) - B/W ; Copying: up to 30 ppm (A4) - colour ; Scanning: up to 27 ipm (A4) - B/W (ISO/IEC 17991) ; Scanning: up to 21 ipm (A4) - colour (ISO/IEC 17991) ; Printing: up to 12 ipm (A4) - B/W duplex ; Printing: up to 12 ipm (A4) - colour duplex

