

Canon i-SENSYS LBP852Cx - printer - colour - laser



Not in stock

SKU	1830C007
Product Description:	Canon i-SENSYS LBP852Cx - printer - colour - laser
Printer Type:	Workgroup printer - laser - colour
Weight:	45 kg
Media Size Class:	A3/Ledger
Max Media Size:	297 x 1200 mm
Min Media Size (Custom):	64 mm x 120 mm
Max Media Size (Custom):	320 mm x 1200 mm

General

Printer Type: Workgroup printer - laser - colour

Printer

Print Speed: Up to 36 ppm - A4 (210 x 297 mm) ; Up to 18 ppm - A3 (297 x 420 mm) ; Up to 36 ppm - duplex - A4 (210 x 297 mm) ; Up to 12.6 ppm - duplex - A3 (297 x 420 mm)

Built-in Devices: Status LCD

Connectivity Technology: Wired

Interface: USB 2.0, Gigabit LAN, USB host

AirPrint Enabled: Yes

Max Resolution (B&W): 9600 x 600 dpi

Max Resolution (Colour): 9600 x 600 dpi

Image Enhancement Technology: Automatic Image Refinement

Automatic Duplexing: Yes

First Print Out Time B/W: 6.7 sec

Dimensions & Weight

Width:	55.6 cm
Depth:	60.8 cm
Height:	40.3 cm
Weight:	45 kg

Environmental Parameters

Min Operating Temperature:	10 °C
Max Operating Temperature:	30 °C
Humidity Range Operating:	20 - 80% (non-condensing)
Sound Emission (Idle):	30 dB
Sound Emission (Operating):	52 dB

Software / System Requirements

OS Required:	Linux, Microsoft Windows 7, Microsoft Windows Server 2008 R2, Microsoft Windows Server 2008, Android, Apple iOS, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2, Windows 8.1, Windows 10, Microsoft Windows Server 2016, Apple MacOS X 10.9.5 or later, Microsoft Windows Server 2019, Apple macOS 10.14 or later
--------------	--

Power

Printer

First Print Out Time: 7.4 sec
Colour:

Language Simulation:	PCL 5E, PostScript, PCL 6, PDF, XPS, Canon Ultra Fast Rendering (UFR II), TIFF, JPEG
Fonts Included:	105 x PCL ; 136 x PostScript
Media Handling:	100-sheet multipurpose tray, 550-sheet paper cassette

RAM

RAM Installed (Max): 1 GB

Power

Power Device:	Power supply - internal
Frequency Required:	50/60 Hz
Power Consumption Operational:	1500 Watt
Power Consumption Stand by:	50 Watt
Power Consumption Sleep:	2 Watt

Miscellaneous

Consumables Included: 1 x toner cartridge (black) - up to 7000 pages ; 1 x toner cartridge (cyan) - up to 5000 pages ; 1 x toner cartridge (magenta) - up to 5000 pages ; 1 x toner cartridge (yellow) - up to 5000 pages ; 1 x drum - up to 70000 pages

Expansion / Connectivity

Connections: 4 x USB 2.0 ; 1 x Gigabit LAN - RJ-45 ; 1 x USB host

Networking

Networking:	Print server
Security Protocols & Features:	Secure Print

Duty Cycle

Monthly Duty Cycle (max):	120000 pages
Recommended Monthly Volume:	2500 - 7500 pages

Media Handling

Media Type:	Envelopes, labels, plain paper, banners, recycled paper, postcards
Media Size Class:	A3/Ledger
Max Media Size:	297 x 1200 mm
Min Media Size (Custom):	64 mm x 120 mm

Media Handling

Max Media Size (Custom): 320 mm x 1200 mm

Media Sizes: ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A3 (297 x 420 mm), B4 (250 x 353 mm), A6 (105 x 148 mm), ANSI B (Ledger) (279 x 432 mm), ARCH B (304.8 x 457.2 mm), 297 x 432 mm, 297 x 1200 mm, 148 x 148 mm, 320 x 457.2 mm, Foolscap (216 x 343 mm), 64 x 120 mm

Media Weight: 60 g/m² - 300 g/m²

Total Media Capacity: 650 sheets

Media Feeders: Paper cassette: 1 - 550 sheets - A3 (297 x 420 mm)/ANSI B (Ledger) (279 x 432 mm) weight: 60 g/m² - 256 g/m² | Bypass tray: 1 - 100 sheets - 297 x 1200 mm weight: 60 g/m² - 300 g/m²

Max Media Capacity: 2850 sheets

Output Trays Capacity: 200 sheets

