

Canon imageFORMULA DR-6030C - document scanner - desktop - USB 2.0, SCSI



In Stock(2)

SKU	4624B003
Product Description:	Canon imageFORMULA DR-6030C - document scanner - desktop - USB 2.0, SCSI
Device Type:	Document scanner - desktop
Interface Type:	USB 2.0, SCSI
Scanning Sensor Type:	CMOS / CIS
Light Source:	RGB LED array
Max Supported Document Size:	300 x 432 mm
Input Type:	Colour

General

Type:	Document scanner - desktop
Interface Type:	USB 2.0, SCSI
Max Supported Document Size:	300 x 432 mm

Environmental Parameters

Min Operating Temperature:	10 °C
Max Operating Temperature:	32.5 °C
Humidity Range Operating:	20 - 80%

Dimensions & Weight


Width:	39.8 cm
Depth:	31.2 cm
Height:	19.1 cm
Weight:	10.5 kg

Software / System Requirements

Software Included:	Drivers & Utilities, Adobe Acrobat 9 Standard, Kofax VirtualReScan Basic, Canon CapturePerfect 3.0
OS Required:	Microsoft Windows 2000, Microsoft Windows XP Home Edition, Microsoft Windows XP Professional, Microsoft Windows 7, Microsoft Windows Vista

Power

Power Device:	Internal power supply
Voltage Required:	AC 230V (50/60 Hz)



Power

Power Consumption Operational (Standby):	46.5 Watt (3.7 Watt)
--	----------------------

Environmental Standards

ENERGY STAR Certified:	Yes
------------------------	-----

Miscellaneous

Compatible with Windows 7:	"Compatible with Windows 7" software and devices carry Microsoft's assurance that these products have passed tests for compatibility and reliability with 32-bit and 64-bit Windows 7.
----------------------------	--

Compliant Standards:	RoHS
----------------------	------

Expansion / Connectivity


Interfaces Details:	Ultra SCSI USB 2.0 - Type B
---------------------	-------------------------------

Media Handling

Max Document Size:	300 mm x 3000 mm
Supported Document Type:	Plain paper
Document Feeder Type:	Automatic
Document Storage Capacity:	100 sheets

Scanner

Input Type:	Colour
Grayscale Depth (External):	8-bit (256 grey levels)
Colour Depth (External):	24-bit (16.7 million colours)
Optical Resolution:	600 dpi x 600 dpi
Scan Mode:	Single/duplex pass
Automatic Duplexing:	Yes
Scanning Sensor Type:	CMOS / CIS



Scanner

Bulb / Light Source Type:	RGB LED array
------------------------------------	---------------

Max Document Scan Speed B/W:	80 ppm
--	--------

Max Document Scan Speed Colour:	80 ppm
---	--------

Duty Cycle:	10000 scans per day
----------------	---------------------

Scanner Speed Details:	80 ppm - landscape greyscale - 200 dpi ; 160 ipm - duplex - landscape greyscale - 200 dpi ; 80 ppm - landscape B&W - 200 dpi ; 160 ipm - duplex - landscape B&W - 200 dpi ; 80 ppm - landscape colour - 200 dpi ; 160 ipm - landscape colour - 200 dpi ; 80 ppm - landscape colour - 300 dpi ; 80 ipm - duplex - landscape colour - 300 dpi ; 80 ppm - landscape greyscale - 300 dpi ; 130 ipm - duplex - landscape greyscale - 300 dpi ; 80 ppm - landscape B&W - 300 dpi ; 130 ipm - duplex - landscape B&W - 300 dpi ; 60 ppm - portrait greyscale - 200 dpi ; 60 ppm - portrait greyscale - 300 dpi ; 60 ppm - portrait B&W - 200 dpi ; 60 ppm - portrait B&W - 300 dpi ; 120 ipm - duplex - portrait greyscale - 200 dpi ; 120 ipm - duplex - portrait greyscale - 300 dpi ; 120 ipm - duplex - portrait B&W - 200 dpi ; 120 ipm - duplex - portrait B&W - 300 dpi ; 60 ppm - portrait colour - 200 dpi ; 120 ipm - duplex - portrait colour - 200 dpi ; 60 ppm - portrait colour - 300 dpi ; 80 ipm - duplex - portrait colour - 300 dpi
------------------------------	--

Scanner Features:	Color Dropout, Ultrasonic Double Feed Detection
----------------------	--

Compliant Standards:	TWAIN, ISIS
-------------------------	-------------