

Canon imagePROGRAF PRO-4100S - large-format printer - colour - ink-jet



In Stock(2)

SKU	3873C003
Product Description:	Canon imagePROGRAF PRO-4100S - large-format printer - colour - ink-jet
Printer Type:	44" large-format printer - ink-jet - colour
Weight:	141 kg
Inkjet Technology:	Canon FINE (Full-lithography inkjet Nozzle Engineering)
Ink Palette Supported (Colours):	8-ink - gray, cyan, photo cyan, magenta, photo magenta, yellow, black, matte black
Max Media Size:	Roll (111.8 cm)
Min Media Size (Custom):	152.4 mm

General

Printer Type: 44" large-format printer - ink-jet - colour

Printer

Inkjet Technology: Canon FINE (Full-lithography inkjet Nozzle Engineering)

Ink Palette Supported (Colours): 8-ink - gray, cyan, photo cyan, magenta, photo magenta, yellow, black, matte black

Nozzle Configuration: 18432 nozzles

Minimum Ink Droplet Size: 4 pl

Ink Cartridge Configuration: 8 individual ink tanks

Ink Type: Canon LUCIA PRO pigment ink

Connectivity Technology: Wireless

Interface: USB 2.0, Gigabit LAN, Wi-Fi(n), USB host

Max Resolution (Colour): 2400 x 1200 dpi

Language Simulation: PDF 1.7, SG Raster (Swift Graphic Raster), JPEG

Dimensions & Weight (Shipping)

Width (Shipping): 182 cm

Depth (Shipping): 91.5 cm

Height (Shipping): 101.9 cm

Weight (Shipping): 172 kg

Dimensions & Weight

Width: 159.3 cm

Depth: 98.4 cm

Height: 116.8 cm

Weight: 141 kg

Environmental Parameters

Min Operating Temperature: 15 °C

Max Operating Temperature: 30 °C

Humidity Range Operating: 10 - 80% (non-condensing)

Sound Emission (Idle): 35 dBA

Sound Emission (Operating): 48 dBA

Printer

Printer Features: Borderless printing

RAM

RAM Installed (Max): 3 GB

Storage

Hard Drive: 500 GB

Media Handling

Media Type: Plain paper, photo paper, translucent film, CAD tracing paper, glossy paper

Max Media Size: Roll (111.8 cm)

Min Media Size (Custom): 152.4 mm

Max Media Size (Custom): 1118 mm

Media Sizes: Roll A2 (42 cm), Roll (25.4 cm), Roll (111.8 cm), Roll (30 cm), Roll (91.4 cm), Roll (76.2 cm), Roll (32.9 cm), Roll A1 (59.4 cm), Roll (61 cm), Roll A0, Roll JIS B1, Roll JIS B0 (103 cm), Roll A3 (29.7 cm), Roll JIS B4 (25.7 cm), Roll (50.8 cm), Roll (15.24 cm), Roll (20.32 cm), Roll (50 cm), Roll (60 cm), Roll (80 cm), Roll (100 cm), Roll (30.48 cm), Roll (35.56 cm), Roll (40.64 cm), Roll (43.18 cm), Roll (55.88 cm)

Max Printing Length: 18 m

Media Thickness Range: 0.07 mm - 0.8 mm

Total Media Capacity: 2 rolls

Media Feeders: 2 - 1 roll - Roll (111.8 cm)

Software / System Requirements

Software Included: Drivers & Utilities, PosterArtist Lite, Canon Quick Toolbox

OS Required: Microsoft Windows Vista (32/64 bits), Microsoft Windows Server 2008 R2 x64 Edition, Microsoft Windows 7 (32/64 bits), Windows 8 (32/64 bits), Microsoft Windows Server 2008 32-bit, Windows 8.1 (32/64 bits), Microsoft Windows Server 2012 R2 x64 Edition, Windows 10 (32/64 bits), Apple MacOS X 10.10.5 - 10.11, Microsoft Windows Server 2019 (64-bit), Apple macOS 10.12 - 10.14

Power

Power Device: Power supply - internal

Frequency Required: 50/60 Hz

Power Consumption Operational: 112 Watt

Power Consumption Sleep: 3.6 Watt

Miscellaneous

Included Accessories: 3-inch spindle adapter kit

Consumables Included: 1 x ink tank (pigmented black) - 330 ml ; 1 x ink tank (pigmented matte black) - 330 ml ; 1 x ink tank (pigmented cyan) - 330 ml ; 1 x ink tank (pigmented magenta) - 330 ml ; 1 x ink tank (pigmented yellow) - 330 ml ; 1 x ink tank (pigmented photo cyan) - 330 ml ; 1 x ink tank (pigmented photo magenta) - 330 ml ; 1 x ink tank (pigmented grey) - 330 ml ; 1 x printhead

Compliant Standards: TUV, CB, EAC

Networking

Networking:

Print server

Expansion / Connectivity

Connections: 1 x USB host - 4 pin USB Type A | 1 x USB
2.0 - 4 pin USB Type B | 1 x Gigabit LAN -
RJ-45

