

Citizen CL-E720DT - label printer - B/W - direct thermal



Not in stock

SKU	1000852
Product Description:	Citizen CL-E720DT - label printer - B/W - direct thermal
Printer Type:	Label printer - direct thermal - B/W
Weight:	10.2 kg
Max Media Size:	Roll (11.8 cm)
Min Media Size (Custom):	19.5 mm
Max Media Size (Custom):	118 mm
Print Speed:	Up to 203 mm/sec - B/W

General

Printer Type:	Label printer - direct thermal - monochrome
---------------	---

Printer

Print Speed:	Up to 203 mm/sec - B/W
Built-in Devices:	Status LCD
Connectivity Technology:	Wired
Interface:	USB 2.0, LAN
Max Resolution (B&W):	203 dpi
Language Simulation:	ZPL, ZPL II, DPL
Features:	Adjustable gap sensor
Auto Cutter:	Yes
Barcodes:	Code 93, Industrial 2 of 5, UCC/EAN-128, Code 49, CODABLOCK, GS1 DataBar, QR code, MaxiCode, Aztec code, Telepen, HIBCC, LOGMARS, EAN/JAN-8, EAN/JAN-13, UPC-A, UPC-E, MicroPDF417, Codabar, Code 128, Code 11, Code 3 of 9, Interleaved 2 of 5, PDF417, MSI-Plessey, Data Matrix, TLC39, Plessey, ZIP, Standard 2 of 5
Printer Features:	Hi-Lift metal mechanism

Dimensions & Weight

Width:	25 cm
Depth:	45.8 cm
Height:	26.1 cm
Weight:	10.2 kg

Environmental Parameters

Min Operating Temperature:	0 °C
Max Operating Temperature:	40 °C
Humidity Range Operating:	30 - 80% (non-condensing)

Manufacturer Warranty

Service & Support:	Limited warranty - 2 years Limited warranty - printhead - 6 months / 50 km
--------------------	--

Environmental Standards

ENERGY STAR:	Yes
--------------	-----

Software / System Requirements

Software Included:	Drivers & Utilities
--------------------	---------------------

Processor

Processor: ARM Cortex-A9 400 MHz

RAM

RAM Installed (Max): 32 MB

Technology / Form Factor: SDRAM

Flash Memory

Flash Memory: 16 MB

Software / System Requirements

OS Required: Apple MacOS, Linux, Microsoft Windows Server 2008 R2, Microsoft Windows Server 2012, Microsoft Windows Vista / XP / 7 / 8, Windows 8.1

Power

Power Device: Power supply - internal

Frequency Required: 50/60 Hz

Power Consumption Operational: 75 Watt

Power Consumption Stand by: 4 Watt

Miscellaneous

Compliant Standards: EN 61000-3-2, EN 61000-3-3, EN55024, EN55022 Class A, EN 60950-1

Expansion / Connectivity

Connections: 1 x LAN - RJ-45 | 1 x USB 2.0

Networking

Networking: Print server

Media Handling

Media Type: Labels, fanfold paper, tag stock, tickets, die cut labels

Max Media Size: Roll (11.8 cm)

Min Media Size (Custom): 19.5 mm

Max Media Size (Custom): 118 mm

Media Sizes: Roll (1.95 - 11.8 cm)

Max Printing Width: 104 mm

Max Printing Length: 2539.7 mm

Media Thickness Range: 0.0635 mm - 0.254 mm

Roll Maximum Outer Diameter: 200 mm

Media Handling

Roll Core Diameter:	75 mm, 25 mm
---------------------	--------------

Media Feeders:	1 x manual - 1 roll - Roll (11.8 cm)
----------------	--------------------------------------

