

Datalogic QuickScan Lite QW2420 - barcode scanner



Not in stock

SKU	QW2420-BKK115
Product Description:	Datalogic QuickScan Lite QW2420 - barcode scanner
Type:	Barcode scanner - handheld - USB - decoded
Colour:	Black
Minimum Bar Width:	4 mil
Scan Element Type:	2D imager
Sensor Resolution:	640 x 480
Connectivity Technology:	Wired

General

Type:	Barcode scanner - handheld
Colour:	Black

Environmental Parameters

Min Operating Temperature:	0 °C
Max Operating Temperature:	50 °C
Humidity Range Operating:	0 - 95% (non-condensing)
Drop Specification:	1.5 m to concrete

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Dimensions & Weight

Width:	7.1 cm
Depth:	6.6 cm
Height:	17.1 cm
Weight:	120 g

Power

Electric Current Required:	90 mA (standby), 170 mA (typical)
----------------------------	-----------------------------------

Miscellaneous

Included Accessories:	Stand
Cables Included:	1 x USB cable - external
Compliant Standards:	RoHS, IP42, China RoHS

Expansion / Connectivity

Interfaces: 1 x USB

Barcode

Interface Type: USB

Minimum Bar Width: 4 mil

Scan Element Type: 2D imager

Sensor Resolution: 640 x 480

Light Source Wave Length: 350-770 nm

Max Working Distance: 30 cm

Skew (Degrees): 65

Pitch (Degrees): 65


Print Contrast Signal (PCS): 20%

Decode Capability: EAN/JAN, GS1 DataBar, QR code, MaxiCode, Aztec code, MicroPDF417, Postnet, PDF417, Data Matrix, PLANET, Australian Post, British Post, Canadian Post, China Post, Japanese Post, Kix (Netherlands) Post, MacroPDF417, Royal Mail, Micro QR code, GS1 DataBar Stacked Omnidirectional, GS1 DataBar Expanded Stacked, GS1 DataBar Composites, GS1 DataBar Stacked, China Han Xin Code, Intelligent Mail Barcode, UPC-A / E, Aztec Mesa

TTL Decoding: Decoded

Connectivity Technology: Wired

OK Notification: Beeper, LED indicator



Barcode

Features: ESD (electrostatic discharge) safe, Green
Spot technology, coiled cable

