

# Dell Dock WD19 - docking station - USB-C - HDMI, 2 x DP, USB-C - 1GbE



In Stock(4)

SKU	DELL-WD19-130W
Product Description:	Dell Dock WD19 - docking station - USB-C - HDMI, 2 x DP, USB-C - 1GbE
Product Type:	Docking station
Docking Interface:	USB-C
Video Interfaces:	HDMI, 2 x DP, USB-C
Dimensions (WxDxH):	20.5 cm x 9 cm x 2.8 cm
Weight:	585 g
Colour:	Black

## General

Product Type:	Docking station
Width:	20.5 cm
Depth:	9 cm
Height:	2.8 cm
Weight:	585 g
Enclosure Colour:	Black

## Video

Max Resolution Details:	3840 x 2160 - 30 Hz
-------------------------	---------------------

## Networking

Data Link Protocol:	Ethernet, Fast Ethernet, Gigabit Ethernet
---------------------	---

## Expansion / Connectivity

Interfaces:	2 x display / video - DisplayPort - 20 pin DisplayPort   1 x display / video - HDMI - 19 pin HDMI Type A   1 x USB-C   3 x USB 3.1 Gen 1 - 9 pin USB Type A   2 x USB-C 3.1 Gen 2   1 x speakers - output - mini-phone 3.5 mm   1 x headset - output - mini-phone 3.5 mm   1 x network - Ethernet 1000 - RJ-45
-------------	--

## Compatibility Information

Designed For:	Dell Latitude 3390 2-in-1, 3400, 3490, 3500, 3590, 5280, 5285 2-in-1, 5289 2-in-1, 5290, 5290 2-in-1, 5300, 5300 2-in-1, 5400, 5420 Rugged, 5424 Rugged, 5480, 5490, 5500, 5580, 5590, 7200 2-in-1, 7280, 7285 2-in-1, 7290, 7300, 7380, 7389 2-in-1, 7390, 7390 2-in-1, 7400, 7400 2-in-1, 7480, 7490   Dell Vostro 5390, 5391   Dell XPS 13 9360, 13 9365 2-in-1, 13 9370, 13 9380
---------------	--

## Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

## System Requirements

OS Required:	Red Hat Enterprise Linux, Windows 10, Ubuntu 18.04
--------------	--

## Power

Power Device:	Power adapter
Voltage Required:	AC 120/230 V (50/60 Hz)
Power Provided:	130 Watt

## Miscellaneous

Cables Included:	1 x SuperSpeed USB-C cable - 1 m
Features:	Security lock slot (cable lock sold separately), 90W power delivery
Security Slot Type:	Noble Wedge security slot / Kensington security slot

