

Dell UltraSharp U3415W - LED monitor - curved - 34" - with 3-Years Advance Exchange Service



Not in stock

SKU	210-ADYS
Product Description:	Dell UltraSharp U3415W - LED monitor - curved - 34" - with 3-Years Advance Exchange Service
Device Type:	LED-backlit LCD monitor - 34"
Energy Class:	Class B
Energy Consumption per Year:	70 kWh
Power Consumption (On mode):	48 W
Curved Screen:	Yes
Features:	USB 3.0 hub

General

Display Type:	LED-backlit LCD monitor / TFT active matrix
Energy Class:	Class B
Energy Consumption per Year:	70 kWh
Diagonal Size:	34"
Curved Screen:	Yes
Built-in Devices:	USB 3.0 hub
Panel Type:	IPS
Aspect Ratio:	21:9
Native Resolution:	3440 x 1440 at 60 Hz
Pixel Pitch:	0.2325 mm
Brightness:	300 cd/m ²
Contrast Ratio:	1000:1 / 2000000:1 (dynamic)
Colour Support:	1.07 billion colours
Colour Gamut:	76% (CIE 1931), 91% (CIE 1976), 99% sRGB

Environmental Parameters

Min Operating Temperature:	0 °C
Max Operating Temperature:	40 °C
Humidity Range Operating:	10 - 80% (non-condensing)

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Dimensions & Weight

Dimensions & Weight Details:	With stand - width: 82.47 cm - depth: 21.6 cm - height: 40.87 cm - weight: 10.8 kg Without stand - width: 82.47 cm - depth: 7.33 cm - height: 37.2 cm - weight: 8.44 kg
------------------------------	--

Software / System Requirements

Included Software:	Drivers & Utilities, Dell Display Manager
--------------------	---

Power

Power Supply:	Internal
---------------	----------

General

Response Time:	5 ms
Vertical Refresh Rate:	48 - 85 Hz
Horizontal Refresh Rate:	30 - 89 kHz
Video Bandwidth:	319.8 MHz
Horizontal Viewing Angle:	172
Vertical Viewing Angle:	178
Screen Coating:	Anti-glare, 3H Hard Coating
Backlight Technology:	LED backlight
Colour Temperature:	9300K, 5000K, 6500K, 7500K, 10000K, 5700K
Controls & Adjustments:	Volume, brightness, contrast, sharpness, saturation, gamma correction, input select, colour temperature, hue, aspect control
OSD Languages:	Chinese (simplified), Brazilian Portuguese, English, German, French, Russian, Spanish, Japanese
Features:	Picture in picture, picture by picture, LED edgelight system, stand lock, Multi-Stream transport (MST), BFR/PVC-free, Energy Gauge, Energy Saver, Mercury free, Factory Calibration, High Bit Rate 2 (HBR2), Transition Minimised Differential Signaling (TMDS) technology, 99% sRGB colour gamut
Colour:	Black
Dimensions (WxDxH):	82.47 cm x 21.6 cm x 40.87 cm - with stand
Weight:	10.8 kg
Bundled with:	3-Years Advance Exchange Service

Audio

Power

Input Voltage:	AC 120/230 V (50/60 Hz)
Power Consumption (On mode):	48 W
Power Consumption (Typical):	130 Watt
Power Consumption Stand by:	0.5 Watt
Power Consumption Sleep:	0.5 Watt
On / Off Switch:	No

Miscellaneous

Features:	Security lock slot (cable lock sold separately), LED indicator, integrated cable management, VESA interface support, 1 USB 3.0 charging port
Included Accessories:	Stand, cable management cover
Cables Included:	1 x Mini DisplayPort-DisplayPort cable 1 x SuperSpeed USB cable 1 x HDMI cable
Compatible with Windows 7:	"Compatible with Windows 7" software and devices carry Microsoft's assurance that these products have passed tests for compatibility and reliability with 32-bit and 64-bit Windows 7.
Compliant Standards:	Plug and Play, VESA EDID, DDC/CI, RoHS, NFPA 99
Security Slot Type:	Kensington security slot

Mechanical

Display Position Adjustments:	Height, swivel, tilt
Tilt Angle:	-5/+21
Swivel Angle:	60
Height Adjustment:	115 mm
VESA Mounting Interface:	100 x 100 mm

Connectivity

Audio

Type:	Speakers - stereo - integrated
Output Power / Channel:	9 Watt

Connectivity

Interfaces:	2 x USB 3.0 upstream ; 4 x USB 3.0 downstream ; Mini DisplayPort ; DisplayPort ; MHL / HDMI ; HDMI ; DisplayPort output (MST) ; Audio line-out
-------------	--

