

Elo I-Series 2.0 - all-in-one - Celeron J4125 2 GHz - 4 GB - SSD 128 GB - LED 15.6"



In Stock(5)

SKU	E135925
Product Description:	Elo I-Series 2.0 - all-in-one - Celeron J4125 2 GHz - 4 GB - SSD 128 GB - LED 15.6"
Type:	Personal computer - all-in-one
Processor:	Intel Celeron J4125 / 2 GHz (, up to 2.7 GHz, (Quad-Core)
Cache Memory:	4 MB
Cache Per Processor:	4 MB
RAM:	4 GB (installed) / 8 GB (max) - DDR4 SDRAM
Hard Drive:	SSD 128 GB - SATA - M.2

General

Type:	Personal computer
Product Form Factor:	All-in-one
Embedded Security:	Trusted Platform Module (TPM 2.0) Security Chip
Colour:	Black

Processor / Chipset

CPU:	Intel Celeron J4125
Clock Speed:	2 GHz
Max Turbo Speed:	2.7 GHz
Number of Cores:	Quad-Core
CPU Qty:	1
Max CPU Qty:	1

Cache Memory

Installed Size:	4 MB
Cache Per Processor:	4 MB

RAM

Installed Size:	4 GB / 8 GB (max)
Technology:	DDR4 SDRAM

Environmental Parameters

Min Operating Temperature:	0 °C
Max Operating Temperature:	35 °C
Humidity Range Operating:	20 - 80%

Dimensions & Weight (Shipping)

Shipping Width:	46.2 cm
Shipping Depth:	29.9 cm
Shipping Height:	47 cm
Shipping Weight:	6.9 kg

Dimensions & Weight

Width:	38.62 cm
Depth:	22.12 cm
Height:	36.93 cm
Weight:	4.7 kg

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Operating System / Software

OS Provided:	No operating system
--------------	---------------------

RAM

Effective Memory Speed:	2666 MHz
Rated Memory Speed:	2666 MHz
Form Factor:	SO-DIMM 260-pin
Slots:	2 (Total) / 1 (empty)
Configuration Features:	1 x 4 GB

Hard Drive

Type:	SSD - M.2
Capacity:	1 x 128 GB
Interface Type:	SATA
SSD Endurance:	80 TB

Optical Storage

Type:	No optical drive
-------	------------------

Power

Device Type:	Power adapter
Voltage Required:	AC 100-240 V (50/60 Hz)
Power Provided:	180 Watt
Power Consumption Operational:	24 Watt

Miscellaneous

Included Accessories:	Cable management kit
Theft/Intrusion Protection:	Security lock slot (cable lock sold separately)
Security Slot Type:	Kensington security slot
VESA Mounting Interface:	75 mm
Compliant Standards:	UL, TUV, cUL, NOM, CB, FCC, S Mark, CE/EMC, UKCA

Expansion / Connectivity

Interfaces:	1 x LAN (Gigabit Ethernet) 3 x USB 3.0 2 x USB 2.0 4 x USB 2.0 - micro-USB 2 x serial - RJ-45 Cash drawer (12V/24 V) 2 x USB (powered (DC 12V)) 1 x USB (powered (DC 24V)) 1 x USB-C (27 Watt charging) 1 x headphones/microphone - mini-jack
-------------	---

Networking

Data Link Protocol:	Ethernet, Fast Ethernet, Gigabit Ethernet
---------------------	---

Audio Output

Sound Output Mode:	Stereo
Speakers Included:	2 x right / left channel

Graphics Controller

Graphics Processor:	Intel UHD Graphics 600
---------------------	------------------------

Monitor

Monitor Type:	LED
---------------	-----



Monitor

Touchscreen:	Yes (10-point multi-touch)
Diagonal Size:	15.6"
Native Resolution:	1366 x 768 (HD)
Widescreen Display:	Yes
Image Aspect Ratio:	16:9
Horizontal Viewing Angle:	90
Vertical Viewing Angle:	50
Response Time:	10 ms
Image Brightness:	220 cd/m ²
Image Contrast Ratio:	400:1
Monitor Features:	TouchPro Pro Projected Capacitive (PCAP) technology