

Elo I-Series 3 - all-in-one - Celeron 7305L 1.1 GHz - 8 GB - SSD 128 GB - LED 15.6"



14-06-2024

SKU	E705428
Product Description:	Elo I-Series 3 - all-in-one - Celeron 7305L 1.1 GHz - 8 GB - SSD 128 GB - LED 15.6"
Type:	Personal computer - all-in-one
Localisation:	Region: Worldwide
Processor:	Intel Celeron 7305L / 1.1 GHz (5-core)
Cache Memory:	8 MB
Cache Per Processor:	8 MB
RAM:	8 GB (installed) / 32 GB (max) - DDR5 SDRAM

General

Type:	Personal computer
Product Form Factor:	All-in-one
Embedded Security:	Trusted Platform Module (TPM 2.0) Security Chip
Colour:	Black
Localisation:	Region: Worldwide

Processor / Chipset

CPU:	Intel Celeron 7305L
Clock Speed:	1.1 GHz
Number of Cores:	5-core
CPU Qty:	1
Max CPU Qty:	1

Cache Memory

Installed Size:	8 MB
Cache Per Processor:	8 MB

RAM

Installed Size:	8 GB / 32 GB (max)
Technology:	DDR5 SDRAM
Effective Memory Speed:	4800 MHz

Environmental Parameters

Min Operating Temperature:	0 °C
Max Operating Temperature:	35 °C
Humidity Range Operating:	20 - 80% (non-condensing)

Dimensions & Weight (Shipping)

Shipping Width:	49.7 cm
Shipping Depth:	34.5 cm
Shipping Height:	48.7 cm
Shipping Weight:	8.9 kg

Dimensions & Weight

Width:	38.41 cm
Depth:	19.75 cm
Height:	33.84 cm
Weight:	6.4 kg

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Sustainability Information

RAM

Rated Memory Speed:	4800 MHz
Form Factor:	SO-DIMM 262-pin
Slots:	2 (Total) / 1 (empty)
Configuration Features:	1 x 8 GB

Hard Drive

Type:	SSD - M.2
Capacity:	1 x 128 GB
Interface Type:	PCI Express
SSD Endurance:	80 TB
Features:	NVM Express (NVMe)

Optical Storage

Type:	No optical drive
-------	------------------

Sustainability Information

ENERGY STAR Certified:	Yes
ENERGY STAR Version:	8.0

Operating System / Software

OS Provided:	Windows 10 IoT Enterprise 2021 LTSC
--------------	-------------------------------------

Power

Device Type:	Power adapter
Voltage Required:	AC 100/240 V (50/60 Hz)
Power Provided:	180 Watt
Power Consumption Operational:	34 Watt

Miscellaneous

Included Accessories:	Stand, mount screw, cable tie
Cables Included:	RJ-50 to DB-9 cable
Theft/Intrusion Protection:	Security lock slot (cable lock sold separately)
Security Slot Type:	Kensington security slot
VESA Mounting Interface:	75 x 75 mm, VESA
Compliant Standards:	UL, TUV, VCCI, cUL, CB, MIC, ANATEL, RCM, CoC, Mexico NOM, UKCA, Argentina S-Mark

Expansion / Connectivity

Interfaces:	1 x headphones/microphone ; 1 x LAN (Gigabit Ethernet) ; 4 x USB 3.0 ; 4 x USB 2.0 - micro-USB ; 1 x PoweredUSB (24 V) ; 2 x PoweredUSB (12 V) ; 1 x serial - RJ-50 (powered) ; 1 x cash drawer (12V/24 V) ; 1 x DisplayPort/USB-C 3.0 (27 Watt charging)
-------------	---

Networking

Networking

Wireless LAN Supported:	Yes
-------------------------	-----

Data Link Protocol:	Ethernet, Fast Ethernet, Gigabit Ethernet, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, 802.11ax, Bluetooth 5.2
---------------------	---

Audio Output

Sound Output Mode:	Stereo
Speakers Included:	2 x right / left channel

Graphics Controller

Graphics Processor:	Intel UHD Graphics
---------------------	--------------------

Monitor

Monitor Type:	LED
Touchscreen:	Yes (10-point multi-touch)
Diagonal Size:	15.6"
Native Resolution:	1920 x 1080 (Full HD)
V-Sync Rate at Max Res.:	60 Hz
Widescreen Display:	Yes
Image Aspect Ratio:	16:9
Horizontal Viewing Angle:	+85 / -85
Vertical Viewing Angle:	+85 / -85
Response Time:	25 ms
Image Brightness:	350 cd/m ²

Monitor

Image
Contrast
Ratio:

1000:1

Monitor
Features:

Anti-glare, Zero-Bezel Design, TouchPro
Pro Projected Capacitive (PCAP)
technology, 16.2 million colors

