

Elo I-Series 3 - all-in-one - Core i7 i7-1265UL 1.8 GHz - 16 GB - SSD 256 GB - LED 21.5"



Not in stock

SKU	E155493
Product Description:	Elo I-Series 3 - all-in-one - Core i7 i7-1265UL 1.8 GHz - 16 GB - SSD 256 GB - LED 21.5"
Type:	Personal computer - all-in-one
Localisation:	Region: Worldwide
Processor:	Intel Core i7 (12th Gen) i7-1265UL / 1.8 GHz (, up to 4.8 GHz, (10-core)
Processor Main Features:	Intel Turbo Boost Technology 2
Cache Memory:	12 MB
Cache Per Processor:	12 MB

General

Type:	Personal computer
Product Form Factor:	All-in-one
Embedded Security:	Trusted Platform Module (TPM 2.0) Security Chip
Colour:	Black
Localisation:	Region: Worldwide

Processor / Chipset

CPU:	Intel Core i7 (12th Gen) i7-1265UL
Clock Speed:	1.8 GHz
Max Turbo Speed:	4.8 GHz (P-core) / 2.7 GHz (E-core)
Number of Cores:	10-core
CPU Qty:	1
Max CPU Qty:	1
Processor Main Features:	Intel Turbo Boost Technology 2

Cache Memory

Installed Size:	12 MB
-----------------	-------

Environmental Parameters

Min Operating Temperature:	0 °C
Max Operating Temperature:	35 °C
Humidity Range Operating:	20 - 80% (non-condensing)

Dimensions & Weight (Shipping)

Shipping Width:	64.5 cm
Shipping Depth:	31.6 cm
Shipping Height:	50.3 cm
Shipping Weight:	12 kg

Dimensions & Weight

Width:	52.58 cm
Depth:	20.46 cm
Height:	36.87 cm
Weight:	10.1 kg

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Cache Memory

Cache Per Processor: 12 MB

RAM

Installed Size: 16 GB / 32 GB (max)
Technology: DDR5 SDRAM
Effective Memory Speed: 4800 MHz
Rated Memory Speed: 4800 MHz
Form Factor: SO-DIMM 262-pin
Slots: 2 (Total) / 1 (empty)
Configuration Features: 1 x 16 GB

Hard Drive

Type: SSD - M.2
Capacity: 1 x 256 GB
Interface Type: PCI Express
SSD Endurance: 160 TB
Features: NVM Express (NVMe)

Optical Storage

Type: No optical drive

Sustainability Information

ENERGY STAR Certified: Yes
ENERGY STAR Version: 8.0

Operating System / Software

OS Provided: No operating system

Power

Device Type: Power adapter
Voltage Required: AC 100/240 V (50/60 Hz)
Power Provided: 180 Watt
Power Consumption Operational: 45 Watt

Miscellaneous

Included Accessories: Stand, mount screw, cable tie
Cables Included: RJ-50 to DB-9 cable
Theft/Intrusion Protection: Security lock slot (cable lock sold separately)
Security Slot Type: Kensington security slot
VESA Mounting Interface: 100 x 100 mm, VESA
Compliant Standards: UL, TUV, VCCI, cUL, CB, MIC, ANATEL, RCM, CoC, Mexico NOM, UKCA, Argentina S-Mark

Expansion / Connectivity

Interfaces: 1 x headphones/microphone | 1 x LAN (Gigabit Ethernet) | 4 x USB 3.0 | 4 x USB 2.0 - micro-USB | 1 x PoweredUSB (24 V) | 2 x PoweredUSB (12 V) | 1 x serial - RJ-50 (powered) | 1 x cash drawer (12V/24 V) | 1 x DisplayPort/USB-C 3.0 (27 Watt charging)

Networking



Networking

Wireless
LAN
Supported: Yes

Data Link Protocol:	Ethernet, Fast Ethernet, Gigabit Ethernet, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, 802.11ax, Bluetooth 5.2
---------------------	---

Audio Output

Sound Output Mode: Stereo
Speakers Included: 2 x right / left channel

Graphics Controller

Graphics Processor: Intel Iris Xe Graphics

Monitor

Monitor Type:	LED
Touchscreen:	Yes (10-point multi-touch)
Diagonal Size:	21.5"
Native Resolution:	1920 x 1080 (Full HD)
V-Sync Rate at Max Res.:	60 Hz
Widescreen Display:	Yes
Image Aspect Ratio:	16:9
Horizontal Viewing Angle:	+89 / -89
Vertical Viewing Angle:	+89 / -89
Response Time:	14 ms
Image Brightness:	250 cd/m ²

Monitor

Image
Contrast
Ratio:

1000:1

Monitor
Features:

TouchPro Pro Projected Capacitive
(PCAP) technology, 16.7 million colour
depth

