

EloPOS Z30 Value - all-in-one RK3399 - 4 GB - flash 32 GB - LED 15.6"



Not in stock

SKU	E392977
Product Description:	EloPOS Z30 Value - all-in-one RK3399 - 4 GB - flash 32 GB - LED 15.6"
Type:	Point of sale terminal - all-in-one
Processor:	1 x Rockchip RK3399
RAM:	4 GB
Hard Drive:	Flash 32 GB
Optical Storage:	No optical drive
Monitor:	15.6" - LED - 1920 x 1080 (Full HD) @ 60 Hz - 16:9 - touchscreen

General

Type:	Point of sale terminal
Product Form Factor:	All-in-one
Built-in Devices:	Dual 1 W speakers
Colour:	Dark grey metallic

Processor / Chipset

CPU:	Rockchip RK3399
CPU Qty:	1
Max CPU Qty:	1

RAM

Installed Size:	4 GB
-----------------	------

Hard Drive

Type:	Flash
Capacity:	1 x 32 GB

Optical Storage

Type:	No optical drive
-------	------------------

Monitor

Monitor Type:	LED
---------------	-----

Environmental Parameters

Min Operating Temperature:	0 °C
Max Operating Temperature:	40 °C
Humidity Range Operating:	20 - 80%

Dimensions & Weight (Shipping)

Shipping Width:	46.3 cm
Shipping Depth:	28.5 cm
Shipping Height:	44.8 cm
Shipping Weight:	9.8 kg

Dimensions & Weight

Width:	29.4 cm
Depth:	18.8 cm
Height:	37.1 cm
Weight:	7.5 kg

Manufacturer Warranty

Service & Support:	Limited warranty - 2 years
--------------------	----------------------------

Operating System / Software

OS Provided:	Android 10
Software:	Google Play Services

Monitor

Touchscreen:	Yes (10-point multi-touch)
Diagonal Size:	15.6"
Native Resolution:	1920 x 1080 (Full HD)
V-Sync Rate at Max Res.:	60 Hz
Widescreen Display:	Yes
Image Aspect Ratio:	16:9
Horizontal Viewing Angle:	170
Vertical Viewing Angle:	170
Response Time:	20 ms
Image Brightness:	280 cd/m²
Image Contrast Ratio:	1000:1
Monitor Features:	8-bit gamma, TouchPro Pro Projected Capacitive (PCAP) technology

Graphics Controller

Video Interfaces:	DisplayPort
-------------------	-------------

Audio Output

Sound Output Mode:	Stereo
Speakers Included:	2

Camera

Camera:	Yes
Resolution (MP):	5 Megapixel
Resolution:	1920 x 1080
Features:	Autofocus, 30 frames per second

Audio Input

Power

Device Type:	Power adapter
Voltage Required:	AC 100-240 V (50/60 Hz)
Power Provided:	150 Watt
Power Consumption Operational:	11.8 Watt
Power Consumption Stand by:	0.7 Watt
Power Consumption Sleep:	7.66 Watt

Miscellaneous

Included Accessories:	Power adapter, screw set, 2 x zip ties, base plate
VESA Mounting Interface:	75 mm, VESA
Compliant Standards:	FCC Class B certified, UL, VCCI, cUL, CB, IC, MIC, RCM

Expansion / Connectivity

Interfaces:	4 x USB 3.0 (900 mA) ; 1 x DisplayPort/USB-C (27 Watt charging) ; 1 x cash drawer - RJ-12 (12V/24 V) ; 1 x LAN (Gigabit Ethernet) ; 1 x USB 2.0 (powered (DC 24V))
-------------	--

Networking

Wireless LAN Supported:	Yes
Data Link Protocol:	Ethernet, Fast Ethernet, Gigabit Ethernet, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, Bluetooth 5.0
Compliant Standards:	IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, Bluetooth 5.0

Audio Input

Type: Microphone

