

HP 734pm - Series 7 Pro - LED monitor - curved - 34" - HDR



In Stock(19)

SKU	8K157A5#ABB
Product Description:	HP 734pm - Series 7 Pro - LED monitor - curved - 34" - HDR
Device Type:	LED-backlit LCD monitor - 34"
Energy Class:	Class G
Curved Screen:	Yes
Adaptive-Sync Technology:	AMD FreeSync Premium
Daisy Chaining:	Yes
Features:	Ambient light sensor, IR sensor, USB 3.2 Gen 1 hub, USB PD 100 Watt

General

Display Type:	LED-backlit LCD monitor / TFT active matrix
Energy Class:	Class G
Energy Class (HDR):	Class G
Diagonal Size:	34"
Curved Screen:	Yes (1900R)
Adaptive-Sync Technology:	AMD FreeSync Premium
Daisy Chaining:	Yes
Built-in Devices:	Ambient light sensor, IR sensor, USB 3.2 Gen 1 hub
USB Power Delivery:	100 Watt
Panel Type:	IPS Black
Aspect Ratio:	21:9
Native Resolution:	WQHD 3440 x 1440 at 120 Hz
Pixel Pitch:	0.23 mm
Pixel Per Inch:	109
Brightness:	400 cd/m ²

Environmental Parameters

Min Operating Temperature:	5 °C
Max Operating Temperature:	35 °C
Humidity Range Operating:	20 - 80% RH (non-condensing)

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Sustainability Information

ENERGY STAR Certified:	Yes
------------------------	-----

Dimensions & Weight (Shipping)

Shipping Width:	95.2 cm
Shipping Depth:	22.6 cm
Shipping Height:	48.5 cm
Shipping Weight:	17.4 kg

Dimensions & Weight

Dimensions & Weight Details:	With stand - width: 81.38 cm - depth: 26.69 cm - height: 54.74 cm - weight: 11.35 kg Without stand - width: 81.38 cm - depth: 12.02 cm - height: 36.41 cm
------------------------------	---

Produktdatablad genereret d. 19-09-2024 04:13.

Vær opmærksom på at priser og lagerstatus var gældende på genereringstidspunktet og dermed ikke kan garanteres.

General

Contrast Ratio:	2000:1
HDR Format:	HDR400
HDR Certification:	DisplayHDR 400
Colour Support:	16.7 million colours
Colour Gamut:	100% sRGB, 98% DisplayP3
Response Time:	5 ms (grey-to-grey with overdrive)
Vertical Refresh Rate:	30 - 120 Hz
Horizontal Refresh Rate:	30 - 190 kHz
Horizontal Viewing Angle:	178
Vertical Viewing Angle:	178
Screen Coating:	Anti-glare, Haze 25%, 3H Hard Coating
Backlight Technology:	Edge-lit LED
Features:	3-sided borderless, Flicker Free technology, HP Eye Ease, Low Blue Light technology, True 8-bit, Out-of-Band MAC Address Pass Through (MAPT), Out-of-Band Wake on LAN (WoL), PXE Boot, DTS Virtual:X, Factory Calibration, Pantone Validated
Colour:	Black, silver
Dimensions (WxDxH):	81.38 cm x 26.69 cm x 54.74 cm - with stand
Weight:	11.35 kg

Built-in Webcam

Sensor Resolution:	5 Megapixel
--------------------	-------------

Software / System Requirements

Included Software:	HP Display Center, HP Display Manager
--------------------	---------------------------------------

Power

Input Voltage:	AC 100-240 V (50/60 Hz)
Power Consumption SDR (On mode):	33 kWh/1000h
Power Consumption HDR (On mode):	68 kWh/1000h
Power Consumption (Typical):	51 Watt
Power Consumption (Max):	310 Watt
Power Consumption Stand by:	0.5 Watt

Miscellaneous

Features:	Security lock slot (cable lock sold separately), detachable stand, VESA interface support
-----------	---

Included Accessories:	Mount adapter
-----------------------	---------------

Cables Included:	1 x Thunderbolt cable
------------------	-----------------------

Backlight Life:	30,000 hours
-----------------	--------------

Software Certification:	Zoom Certified
-------------------------	----------------

Compliant Standards:	BIS, BSMI, CB, CCC, CECP, CEL, EAC, FCC, ISO 9241-307, KC, KCC, NOM, PSB, RCM, SEPA, TUV S, UL, CSA, VCCI, WEEE, ISC, TUV low blue light, UAE, ICE, GS, Ukraine EE, Belarus EE, Korea MEPS, CEL Grade 2, low halogen, TCO Certified Edge
----------------------	--

Localisation:	English / Europe
---------------	------------------

Security Slot Type:	Kensington security slot
---------------------	--------------------------

Mechanical

Display Position Adjustments:	Height, tilt, swivel
-------------------------------	----------------------

Tilt Angle:	-5/+20
-------------	--------

Swivel Angle:	20
---------------	----

Height Adjustment:	150 mm
--------------------	--------

Built-in Webcam

Max Video Resolution: 2688 x 1944 at 30 fps

Features: Windows Hello compatible, HDR, auto framing, pop-up privacy, 95.6° diagonal field of view (dFoV), background blur, auto lock and awake

Audio Input

Type: Dual array microphone

Microphone Features: Noise-cancelling

Audio

Type: Speakers - quadraphonic

Output Power / Channel: 3 Watt

Connectivity

Interfaces: DisplayPort (HDCP) ; DisplayPort output (HDCP) ; HDMI (HDCP) ; USB-C (DisplayPort Alt Mode, data, power up to 65W) ; Thunderbolt 4/USB-C 3.2 Gen 2 upstream/DisplayPort 1.4 (DisplayPort Alt Mode, data, power up to 100W) ; Network (RJ-45) ; Thunderbolt 4 output (daisy chain, power up to 15W) ; 4 x USB 3.2 Gen 1 downstream ; USB 3.2 Gen 1 downstream (power up to 7.5W)

Mechanical

VESA Mounting Interface:

VESA

