

HP Color LaserJet Enterprise M455dn - printer - colour - laser



In Stock(13)

SKU	3PZ95A#B19
Product Description:	HP Color LaserJet Enterprise M455dn - printer - colour - laser
Printer Type:	Workgroup printer - laser - colour
Number of Users:	3-10 users
Weight:	18.9 kg
Localisation:	English, German, French, Italian, Spanish / Europe
Media Size Class:	A4/Legal
Max Media Size:	Legal (216 x 356 mm), A4 (210 x 297 mm)

General

Printer Type:	Workgroup printer - laser - colour
Number of Users:	3-10 users
Localisation:	English, German, French, Italian, Spanish / Europe

Dimensions & Weight (Shipping)

Width (Shipping):	49.7 cm
Depth (Shipping):	37.9 cm
Height (Shipping):	58.3 cm
Weight (Shipping):	21.6 kg

Printer

Print Speed:	Up to 29 ppm - B/W - A4 (210 x 297 mm) ; Up to 29 ppm - B/W - ANSI A (Letter) (216 x 279 mm) ; Up to 49 ppm - black landscape - A5 (148 x 210 mm) ; Up to 49 ppm - colour landscape - A5 (148 x 210 mm) ; Up to 24 ipm - colour duplex - A4 (210 x 297 mm) ; Up to 24 ipm - B/W duplex - A4 (210 x 297 mm) ; Up to 25 ipm - colour duplex - ANSI A (Letter) (216 x 279 mm) ; Up to 25 ipm - B/W duplex - ANSI A (Letter) (216 x 279 mm) ; Up to 7 ppm - colour portrait - A5 (148 x 210 mm) ; Up to 7 ppm - black portrait - A5 (148 x 210 mm)
Built-in Devices:	Status LCD
Connectivity Technology:	Wired
Interface:	USB 2.0, Gigabit LAN, USB 2.0 host
AirPrint Enabled:	Yes

Dimensions & Weight

Width:	41.36 cm
Depth:	47.2 cm
Height:	30.44 cm
Weight:	18.9 kg

Environmental Parameters

Min Operating Temperature:	10 °C
Max Operating Temperature:	32.5 °C
Humidity Range Operating:	10 - 90%
Sound Emission (Idle):	33 dBA
Sound Emission (Operating):	48 dBA

Manufacturer Warranty

Service & Support:	Limited warranty - 1 year - on-site
--------------------	-------------------------------------

Environmental Standards

Printer

Max Resolution (B&W):	600 x 600 dpi
-----------------------	---------------

Max Resolution (Colour):	600 x 600 dpi
--------------------------	---------------

Image Enhancement Technology:	HP ImageREt 3600
-------------------------------	------------------

Automatic Duplexing:	Yes
----------------------	-----

PostScript Support:	Standard
---------------------	----------

Language Simulation:	PCL 5C, PostScript 3, PCL 6, PDF 1.7
----------------------	--------------------------------------

Fonts Included:	105 x TrueType 92 x PostScript 3
-----------------	------------------------------------

Printer Features:	Instant-on Technology
-------------------	-----------------------

Media Handling:	250-sheet input tray, 50-sheet multipurpose tray
-----------------	--

Processor

Processor:	800 MHz
------------	---------

RAM

RAM Installed (Max):	1.25 GB / 1.25 GB (max)
----------------------	-------------------------

Flash Memory

Flash Memory:	4 GB
---------------	------

Media Handling

Media Type:	Envelopes, transparencies, labels, plain paper, bond paper, recycled paper, postcards, glossy paper
-------------	---

Media Size Class:	A4/Legal
-------------------	----------

Max Media Size:	Legal (216 x 356 mm), A4 (210 x 297 mm)
-----------------	---

Environmental Standards

Blue Angel:	Yes
-------------	-----

ENERGY STAR:	Yes
--------------	-----

ENERGY STAR Version:	3.0
----------------------	-----

Software / System Requirements

Software Included:	Drivers & Utilities, HP Web JetAdmin, HP Printer Assistant
--------------------	--

OS Required:	UNIX, Android, Microsoft Windows Vista (32/64 bits), Ubuntu 10.04, Microsoft Windows 7 (32/64 bits), Microsoft Windows XP (32/64 bits) SP3, Apple MacOS X Lion 10.7, Apple iOS, Ubuntu 11.10, Ubuntu 12.04, Apple OS X 10.8 Mountain Lion, Windows 8 (32/64 bits), openSUSE 12.2, Red Hat Fedora 17, Ubuntu 12.10, Windows 8.1 (32/64 bits), Apple OS X 10.9 Mavericks, Red Hat Fedora 18, openSUSE 12.3, Linux Mint 13, Ubuntu 13.04, Ubuntu 13.10, Ubuntu 14.04, Red Hat Fedora 19, Linux Mint 14, Linux Mint 15, Apple MacOS X 10.10, openSUSE 13.1, Windows 10 (32/64 bits), Red Hat Fedora 20, Linux Mint 16, Linux Mint 17, BOSS GNU/Linux 3.0, BOSS GNU/Linux 5.0, Ubuntu 14.10, Debian Linux 6.0.x, Debian Linux 7.x
--------------	--

Power

Power Device:	Power supply - internal
---------------	-------------------------

Frequency Required:	50/60 Hz
---------------------	----------

Power Consumption Operational:	574 Watt
--------------------------------	----------

Power Consumption Stand by:	16.7 Watt
-----------------------------	-----------

Power Consumption Sleep:	1.1 Watt
--------------------------	----------

Media Handling

Min Media Size (Custom): 76 mm x 127 mm

Max Media Size (Custom): 216 mm x 356 mm

Media Sizes: Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), 100 x 150 mm, JIS B5 (182 x 257 mm), B6 (125 x 176 mm), 76 x 127 mm, Oficio (216 x 343 mm)

Envelope Sizes: US No 10 (104.7 x 241.3 mm), International DL (110 x 220 mm), International C6 (114 x 162 mm), International C5 (162 x 229 mm), International B5 (176 x 250 mm), Monarch (98.4 x 190.5 mm), US No 9 (98.6 x 225.6 mm)

Media Weight: 60 g/m² - 200 g/m²

Total Media Capacity: 300 sheets

Media Feeders: 1 x automatic - 150 sheets - Legal (216 x 356 mm)

Max Media Capacity: 850 sheets

Output Trays Capacity: 150 sheets

Duty Cycle

Monthly Duty Cycle (max): 55000 pages

Recommended Monthly Volume: 900 - 4800 pages

Networking

Networking: Print server

Network Controller Name: HP Jetdirect

Remote Management Protocol: SNMP 1, SNMP 2, SNMP 3, HTTP, HTTPS, IPP 2.0, SLP

Security Protocols & Features: Apple Bonjour, IPsec, 802.1x

Produktdatablad genereret d. 05-05-2024 05:37.

Vær opmærksom på at priser og lagerstatus var gældende på genereringstidspunktet og dermed ikke kan garanteres.

Expansion / Connectivity

Connections: 1 x USB 2.0 - 4 pin USB Type B | 2 x USB 2.0 host - 4 pin USB Type A | 1 x Gigabit LAN - RJ-45

Miscellaneous

Consumables Included: 1 x toner cartridge (black) - up to 2400 pages ISO/IEC 19798 | 1 x toner cartridge (cyan) - up to 2100 pages ISO/IEC 19798 | 1 x toner cartridge (magenta) - up to 2100 pages ISO/IEC 19798 | 1 x toner cartridge (yellow) - up to 2100 pages ISO/IEC 19798

Compliant Standards: TUV, GS, CECP, EN 62479:2010, EN 61000-3-3:2013, CISPR 22:2008, EN 61000-3-2:2014, IEC 60950-1:2005 + A1:2009 + A2:2013, IEC 62479:2010, LVD 2014/35/EU, EN 55024:2010+A1:2015, CE/EMC, EN 55032:2012, CISPR 32, EN 60825-1:2014, EN 55035:2017, Mercury-free, EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013, CISPR 35:2016 Class A, IEC 60825-1:2014 Class 1

