

HP E27u G5 PVC Free - E-Series - LED monitor - QHD - 27"



In Stock(116)

SKU	6N4D3A5#ABB
Product Description:	HP E27u G5 PVC Free - E-Series - LED monitor - QHD - 27"
Device Type:	LED-backlit LCD monitor - 27"
Features:	USB Hub, USB PD 65 Watt
Panel Type:	IPS
Aspect Ratio:	16:9
Native Resolution:	QHD 2560 x 1440 at 75 Hz
Pixel Pitch:	0.23 mm

General

Display Type:	LED-backlit LCD monitor / TFT active matrix
Diagonal Size:	27"
Built-in Devices:	USB Hub
USB Power Delivery:	65 Watt
Panel Type:	IPS
Aspect Ratio:	16:9
Native Resolution:	QHD 2560 x 1440 at 75 Hz
Pixel Pitch:	0.23 mm
Pixel Per Inch:	109
Brightness:	350 cd/m²
Contrast Ratio:	1000:1 / 8000000:1 (dynamic)
Colour Support:	16.7 million colours (8-bit)
Colour Gamut:	99% sRGB
Response Time:	5 ms (grey-to-grey with overdrive)
Vertical Refresh Rate:	50 - 75 Hz
Horizontal Refresh Rate:	30 - 120 kHz

Environmental Parameters

Min Operating Temperature:	5 °C
Max Operating Temperature:	35 °C
Humidity Range Operating:	20 - 80% (non-condensing)

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Sustainability Information

TCO Certified:	TCO Certified Edge Displays, TCO Certified Displays 9
ENERGY STAR Certified:	Yes

Dimensions & Weight (Shipping)

Shipping Width:	69.9 cm
Shipping Depth:	16 cm
Shipping Height:	44.6 cm
Shipping Weight:	9.7 kg

Dimensions & Weight

General

Horizontal Viewing Angle: 178

Vertical Viewing Angle: 178

Screen Coating: Haze 25%, anti-glare 3H hardness

Backlight Technology: Edge-lit LED

Colour Temperature: 6500K

OSD Languages: Chinese (traditional), Chinese (simplified), English, German, French, Italian, Portuguese, Russian, Spanish, Dutch, Japanese

Features: HDCP, On-screen Digital Controls, Low Blue Light Mode, Flicker Free technology, 3 Side Borderless Design, 8-bit Colour Depth, HP Eye Ease

Colour: Black head, black and silver (stand)

Dimensions (WxDxH): 61.34 cm x 22.7 cm x 54.47 cm - with stand

Weight: 7.2 kg

Connectivity

Interfaces: DisplayPort 1.2 (HDCP) ; DisplayPort 1.2 output (HDCP) ; HDMI (HDCP) ; LAN (RJ-45) ; USB-C 3.2 Gen 1/DisplayPort 1.2 Alt Mode (power up to 65W) ; 2 x USB 3.2 Gen 1 ; USB 3.2 Gen 1 (power only)

Dimensions & Weight

Dimensions & Weight Details: With stand - width: 61.34 cm - depth: 22.7 cm - height: 54.47 cm - weight: 7.2 kg ; Without stand - width: 61.34 cm - depth: 4.67 cm - height: 36.46 cm - weight: 5.37 kg

Software / System Requirements

Included Software: HP Display Center, HP Display Manager

Power

Input Voltage: AC 100-240 V (50/60 Hz)

Power Consumption (Typical): 34.5 Watt

Power Consumption (Max): 160 Watt

Power Consumption Stand by: 0.5 Watt

Miscellaneous

Features: Security lock slot (cable lock sold separately), detachable stand, VESA interface support

Cables Included: 1 x USB-C to USB-C cable - 1.8 m

Backlight Life: 30,000 hours

Compliant Standards: VCCI, BSMI, GS, NOM, TUV S, CB, CCC, PSB, FCC, ISO 9241-307, KCC, WEEE, PSE Mark, cTUVus, E-Standby, KC, CECP, CEL, EAC, ISC, SEPA, BIS, ICE, NRCS, Ukraine, UAE, TGM, Energy Star, TCO Certified Edge

Localisation: English / Europe

Security Slot Type: Kensington security slot

Mechanical

Display Position Adjustments: Height, pivot (rotation), swivel, tilt

Tilt Angle: -5/+20

Swivel Angle: 45

Mechanical

Rotation Angle:	90
Height Adjustment:	150 mm
VESA Mounting Interface:	100 x 100 mm

