

# HP E32K G5 - E-Series - LED monitor - 31.5"



In Stock(3)

SKU	6N4D6A5#ABB
Product Description:	HP E32K G5 - E-Series - LED monitor - 31.5"
Device Type:	LED-backlit LCD monitor - 31.5"
Energy Class:	Class F
Energy Consumption per Year:	32 kWh
Power Consumption (On mode):	32.4 W
Features:	USB Hub, ambient light sensor, USB PD 65 Watt
Panel Type:	IPS

## General

Display Type:	LED-backlit LCD monitor / TFT active matrix
Energy Class:	Class F
Energy Consumption per Year:	32 kWh
Diagonal Size:	31.5"
Built-in Devices:	USB Hub, ambient light sensor
USB Power Delivery:	65 Watt
Panel Type:	IPS
Aspect Ratio:	16:9
Native Resolution:	4K UHD (2160p) 3840 x 2160 at 60 Hz
Pixel Pitch:	0.18 mm
Pixel Per Inch:	140
Brightness:	350 cd/m <sup>2</sup>
Contrast Ratio:	1000:1 / 8000000:1 (dynamic)
Colour Support:	1.07 billion colours
Colour Gamut:	99% sRGB

## Environmental Parameters

Min Operating Temperature:	5 °C
Max Operating Temperature:	35 °C
Humidity Range Operating:	20 - 80% (non-condensing)

## Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

## Sustainability Information

TCO Certified:	TCO Certified Edge Displays, TCO Certified Displays 9
ENERGY STAR Certified:	Yes

## Dimensions & Weight (Shipping)

Shipping Width:	82 cm
Shipping Depth:	52.7 cm
Shipping Height:	16.1 cm
Shipping Weight:	11.76 kg

## Dimensions & Weight

## General

**Response Time:** 5 ms (grey-to-grey with overdrive)

**Vertical Refresh Rate:** 30 - 60 Hz

**Horizontal Refresh Rate:** 30 - 135 kHz

**Horizontal Viewing Angle:** 178

**Vertical Viewing Angle:** 178

**Screen Coating:** Anti-glare, 3H Hard Coating, Haze 25%

**Backlight Technology:** Edge-lit LED

**Colour Temperature:** 6500K

**OSD Languages:** Chinese (traditional), Chinese (simplified), English, German, French, Italian, Portuguese, Russian, Spanish, Dutch, Japanese

**Features:** HDCP, Flicker Free technology, 3 Side Borderless Design, Low Blue Light technology, HP Eye Ease, 10 bits (8 bits + FRC)

**Colour:** Black head, black and silver (stand)

**Dimensions (WxDxH):** 71.4 cm x 22.7 cm x 60.34 cm - with stand

**Weight:** 8.4 kg

## Audio

**Type:** Speakers - stereo

**Output Power / Channel:** 3 Watt

## Connectivity

**Interfaces:** DisplayPort 1.4 (HDCP) ; HDMI (HDCP) ; USB-C 3.2 Gen 1 (power up to 65W) ; LAN (RJ-45) ; 2 x USB 3.2 Gen 1 ; USB 3.2 Gen 1 (power only)

## Dimensions & Weight

**Dimensions & Weight Details:** Without stand - width: 71.4 cm - depth: 7.47 cm - height: 42.12 cm - weight: 5.94 kg ; With stand - width: 71.4 cm - depth: 22.7 cm - height: 60.34 cm - weight: 8.4 kg

## Software / System Requirements

**Included Software:** HP Display Assistant

## Power

**Input Voltage:** AC 100-240 V (50/60 Hz)

**Power Consumption (On mode):** 32.4 W

**Power Consumption SDR (On mode):** 32.4 kWh/1000h

**Power Consumption (Typical):** 39 Watt

**Power Consumption (Max):** 210 Watt

**Power Consumption Stand by:** 0.5 Watt

## Miscellaneous

**Features:** Security lock slot (cable lock sold separately), detachable stand, VESA interface support, PVC free

**Cables Included:** 1 x USB-C to USB-C cable - 1 m

**Backlight Life:** 30,000 hours

**Compliant Standards:** CSA, UL, VCCI, BSMI, NOM, TUV S, CB, CCC, PSB, FCC, ISO 9241-307, KCC, WEEE, PSE Mark, cTUVus, E-Standby, KC, CECP, CEL, EAC, ISC, SEPA, BIS, low halogen, ICE, NRCS, Ukraine, UAE, TGM, Energy Star, TCO Certified Edge

**Localisation:** English / Europe

**Security Slot Type:** Kensington security slot

## Mechanical

**Display Position Adjustments:** Height, pivot (rotation), swivel, tilt

**Tilt Angle:** -5/+20

## Mechanical

Swivel Angle: 45

Rotation Angle: 90

Height Adjustment: 150 mm

VESA Mounting Interface: 100 x 100 mm

