

HP Elite t655 - SFF - Ryzen Embedded R2314 2.1 GHz - 8 GB - flash 32 GB



24-09-2024

| | |
|----------------------|--|
| SKU | 5H0X9EA#UUW |
| Product Description: | HP Elite t655 - SFF - Ryzen Embedded R2314 2.1 GHz - 8 GB - flash 32 GB |
| Type: | Thin client - small form factor |
| Localisation: | Language: Danish, Norwegian, Finnish, Swedish / region: Denmark, Finland, Norway, Sweden |
| Processor: | 1 x AMD Ryzen Embedded R2314 / 2.1 GHz (, up to 3.5 GHz, (Quad-Core) |
| Cache Memory: | 2 MB L2 Cache |
| Cache Per Processor: | 2 MB |
| RAM: | 8 GB (installed) / 32 GB (max) - DDR4 SDRAM |

General

| | |
|----------------------|--|
| Type: | Thin client |
| Product Form Factor: | Small form factor |
| Embedded Security: | Trusted Platform Module (TPM 2.0) Security Chip |
| Localisation: | Language: Danish, Norwegian, Finnish, Swedish / region: Denmark, Finland, Norway, Sweden |

Processor / Chipset

| | |
|--------------------|--------------------------|
| CPU: | AMD Ryzen Embedded R2314 |
| Clock Speed: | 2.1 GHz |
| Max Turbo Speed: | 3.5 GHz |
| Number of Cores: | Quad-Core |
| CPU Qty: | 1 |
| Max CPU Qty: | 1 |
| CPU Upgradability: | Not upgradable |

Cache Memory

| | |
|----------------------|-----------------|
| Installed Size: | L2 Cache - 2 MB |
| Cache Per Processor: | 2 MB |

Environmental Parameters

| | |
|----------------------------|---------------------------|
| Min Operating Temperature: | 10 °C |
| Max Operating Temperature: | 40 °C |
| Humidity Range Operating: | 10 - 90% (non-condensing) |

Dimensions & Weight (Shipping)

| | |
|------------------|----------|
| Shipping Weight: | 2.106 kg |
|------------------|----------|

Dimensions & Weight

| | |
|------------------------------|---|
| Dimensions & Weight Details: | 3.5 cm - 20 cm - 20 cm - 1.17 kg - with stand - 1.12 kg - without stand |
| Width: | 3.5 cm |
| Depth: | 20 cm |
| Height: | 20 cm |
| Weight: | 1.17 kg |

Manufacturer Warranty

| | |
|--------------------|---|
| Service & Support: | Limited warranty - parts and labour - 3 years |
|--------------------|---|

Sustainability Information

Produktdatablad genereret d. 08-09-2024 02:37.

Vær opmærksom på at priser og lagerstatus var gældende på genereringstidspunktet og dermed ikke kan garanteres.

RAM

| | |
|-------------------------|-----------------------|
| Installed Size: | 8 GB / 32 GB (max) |
| Technology: | DDR4 SDRAM |
| Rated Memory Speed: | 3200 MHz |
| Form Factor: | SO-DIMM 260-pin |
| Slots: | 2 (Total) / 0 (empty) |
| Configuration Features: | 2 x 4 GB |

Hard Drive

| | |
|-----------|-------------|
| Type: | Flash - M.2 |
| Capacity: | 1 x 32 GB |
| Features: | eMMC |

Optical Storage

| | |
|-------|------------------|
| Type: | No optical drive |
|-------|------------------|

Monitor

| | |
|---------------|-------|
| Monitor Type: | None. |
|---------------|-------|

Graphics Controller

| | |
|-------------------------|---------------------|
| Graphics Processor: | AMD Radeon Graphics |
| Video Interfaces: | DisplayPort |
| Max Monitors Supported: | 3 |

Input Device

| | |
|-------|-----------------|
| Type: | Mouse, keyboard |
|-------|-----------------|

Keyboard

| | |
|----------------|---|
| Keyboard Name: | HP Business Slim Smart Card CCID Keyboard |
| Interface: | USB |

Mouse

| | |
|------------|-----|
| Interface: | USB |
|------------|-----|

Sustainability Information

| | |
|------------------------|-----|
| ENERGY STAR Certified: | Yes |
|------------------------|-----|

Operating System / Software

| | |
|--------------|---------|
| OS Provided: | IGEL OS |
|--------------|---------|

| | |
|-----------|--|
| Software: | HP Easy Tools, HP Device Manager, HP ThinUpdate, HP True Graphics, HP Easy Shell, HP Write Manager, HP Cloud Endpoint Manager, Microsoft Azure Virtual Desktop |
|-----------|--|

Power

| | |
|--------------------|-------------------------|
| Device Type: | Power adapter |
| Power Device Name: | HP Smart AC Adapter |
| Voltage Required: | AC 100-240 V (50/60 Hz) |
| Power Provided: | 45 Watt |

Miscellaneous

| | |
|-----------------------------|---|
| Theft/Intrusion Protection: | Security lock slot (cable lock sold separately) |
|-----------------------------|---|

| | |
|--------------------------|--------------------|
| VESA Mounting Interface: | 100 x 100 mm, VESA |
|--------------------------|--------------------|

| | |
|----------------------|---|
| Compliant Standards: | WEEE, ERP, CECP, RoHS2, SEPA, low halogen, HP GSE |
|----------------------|---|

Expansion / Connectivity

| | |
|-------------|--|
| Interfaces: | 3 x USB 3.1 Gen 1 (1 front, 2 rear) ; 3 x USB-C 3.2 Gen 2 (1 front, 2 rear) ; 1 x audio line-out/line-in (1 front) ; 1 x LAN (Gigabit Ethernet) (1 rear) ; 1 x headphones (1 front) ; 3 x DisplayPort 1.2 (3 rear) |
|-------------|--|

Networking

| | |
|----------------------|-----------------------|
| Ethernet Controller: | Realtek RTL8111EPH-CG |
|----------------------|-----------------------|

| | |
|-------------------------|-----|
| Wireless LAN Supported: | Yes |
|-------------------------|-----|

| | |
|---------------|-------------------|
| Wireless NIC: | Realtek RTL8852BE |
|---------------|-------------------|

Networking

Data Link Protocol: Ethernet, Fast Ethernet, Gigabit Ethernet, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, Bluetooth 5.2, IEEE 802.11ax (Wi-Fi 6)

Features: Dual stream (2x2)

