

HP LaserJet Enterprise M554dn - printer - colour - laser



In Stock(50)

SKU	7ZU81A#B19
Product Description:	HP LaserJet Enterprise M554dn - printer - colour - laser
Printer Type:	Workgroup printer - laser - colour
Number of Users:	5-15 users
Weight:	27.5 kg
Localisation:	English, German, French, Italian, Spanish / Europe
Media Size Class:	A4/Legal
Max Media Size:	Legal (216 x 356 mm), A4 (210 x 297 mm)

General

Printer Type:	Workgroup printer - laser - colour
Number of Users:	5-15 users
Localisation:	English, German, French, Italian, Spanish / Europe

Dimensions & Weight (Shipping)

Width (Shipping):	60 cm
Depth (Shipping):	50 cm
Height (Shipping):	59.8 cm
Weight (Shipping):	31.3 kg

Printer

Print Speed:	Up to 33 ppm - B/W - A4 (210 x 297 mm) ; Up to 35 ppm - B/W - ANSI A (Letter) (216 x 279 mm) ; Up to 33 ipm - duplex - A4 (210 x 297 mm) ; Up to 35 ipm - duplex - ANSI A (Letter) (216 x 279 mm) ; Up to 33 ppm - colour - A4 (210 x 297 mm) ; Up to 35 ppm - colour - ANSI A (Letter) (216 x 279 mm) ; Up to 4.6 ppm - black portrait - A5 (148 x 210 mm) ; Up to 4.6 ppm - colour - A5 (148 x 210 mm) ; Up to 55 ppm - black landscape - A5 (148 x 210 mm) ; Up to 55 ppm - colour - A5 (148 x 210 mm)
Built-in Devices:	2.7 inch QVGA LCD display, 24-key pad
Preview Screen Size:	2.7"
Connectivity Technology:	Wired
Interface:	USB 2.0, Gigabit LAN, USB 2.0 host
AirPrint Enabled:	Yes

Dimensions & Weight

Width:	45.8 cm
Depth:	47.9 cm
Height:	40 cm
Weight:	27.5 kg

Environmental Parameters

Min Operating Temperature:	15 °C
Max Operating Temperature:	30 °C
Humidity Range Operating:	10 - 80%
Sound Emission (Idle):	32 dBA
Sound Emission (Operating):	51 dBA

Manufacturer Warranty

Service & Support:	Limited warranty - 1 year - on-site - response time: next business day
--------------------	--

Environmental Standards

EPEAT Compliant:	EPEAT Silver
------------------	--------------

Printer

Max Resolution (B&W): 1200 x 1200 dpi

Max Resolution (Colour): 1200 x 1200 dpi

Image Enhancement Technology: HP ImageREt 3600

Automatic Duplexing: Yes

PostScript Support: Standard

First Print Out Time B/W: 6 sec

First Print Out Time Colour: 7 sec

Language Simulation: PCL 5C, PostScript 3, PCL 6, PDF 1.7

Fonts Included: 105 x TrueType | 92 x PostScript 3

Printer Features: Hardware integration pocket, PANTONE calibrated, Instant-on Technology, Mopria certified, Auto Power On, Auto Power Off

Media Handling: 100-sheet multipurpose tray, 550-sheet input tray

Processor

Processor: 1.2 GHz

RAM

RAM Installed (Max): 1 GB (max)

Flash Memory

Flash Memory: 4 GB

Environmental Standards

Blue Angel: Yes
ENERGY STAR: Yes

Software / System Requirements

Software Included: Drivers & Utilities

OS Required: UNIX, Android, Microsoft Windows Vista (32/64 bits), Ubuntu 10.04, Microsoft Windows 7 (32/64 bits), Microsoft Windows XP (32/64 bits) SP3, Apple MacOS X Lion 10.7, Apple iOS, Ubuntu 11.10, Ubuntu 12.04, Apple OS X 10.8 Mountain Lion, Windows 8 (32/64 bits), openSUSE 12.2, Red Hat Fedora 17, Ubuntu 12.10, Windows 8.1 (32/64 bits), Apple OS X 10.9 Mavericks, Red Hat Fedora 18, openSUSE 12.3, Linux Mint 13, Microsoft Windows RT 8.1, Ubuntu 13.04, Ubuntu 13.10, Ubuntu 14.04, Red Hat Fedora 19, Microsoft Windows RT 8, Linux Mint 14, Linux Mint 15, Apple MacOS X 10.10, openSUSE 13.1, Windows 10 (32/64 bits), Red Hat Fedora 20, Linux Mint 16, Linux Mint 17, BOSS GNU/Linux 3.0, BOSS GNU/Linux 5.0, Ubuntu 14.10, Debian Linux 6.0.x, Debian Linux 7.x

Power

Power Device: Power supply - internal

Power Consumption Operational: 589 Watt

Power Consumption Stand by: 28.5 Watt

Power Consumption Sleep: 2.17 Watt

Miscellaneous

Consumables Included: 1 x toner cartridge (black) - up to 5500 pages ISO/IEC 19798 ; 1 x toner cartridge (cyan) - up to 3500 pages ISO/IEC 19798 ; 1 x toner cartridge (magenta) - up to 3500 pages ISO/IEC 19798 ; 1 x toner cartridge (yellow) - up to 3500 pages ISO/IEC 19798 ; 1 x waste toner collector

Miscellaneous

Compliant Standards:

FCC Class A certified, CISPR 22 Class A, CECP, EN 61000-3-3:2008, EN 61000-3-2:2006+A1:2009+A2:2009, EN 62479:2010, EN 55022:2010 Class A, ICES-003 issue 5 Class A, IEC 62479:2010, EN 60825-1:2007, FCC CFR47 Part 15 A

Expansion / Connectivity

Connections:

1 x USB 2.0 - 4 pin USB Type B | 2 x USB 2.0 host - 4 pin USB Type A | 1 x Gigabit LAN - RJ-45

Networking

Networking:

Print server

Network Controller Name:

HP Jetdirect

Remote Management Protocol:

SNMP 1, Telnet, SNMP 3, IPP, SNMP 2c, HTTP, NDS, HTTPS, TFTP, IPPS, SLP

Security Protocols & Features:

Kerberos, LDAP, Apple Bonjour, TLS, IPsec, 802.1x, EAP-TLS, PEAP

Duty Cycle

Monthly Duty Cycle (max):

80000 pages

Recommended Monthly Volume:

2000 - 8500 pages

Media Handling

Media Type:


Envelopes, transparencies, labels, plain paper, bond paper, recycled paper, opaque film, paper, card stock, extra heavy-weight paper, light-weight paper, punched paper, preprinted paper

Media Size Class:

A4/Legal

Max Media Size:

Legal (216 x 356 mm), A4 (210 x 297 mm)



Media Handling

Min Media Size (Custom): 76 mm x 127 mm

Max Media Size (Custom): 216 mm x 356 mm

Media Sizes: ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), 100 x 150 mm, 216 x 297 mm, JIS B5 (182 x 257 mm), 101.6 x 152.4 mm, Statement (139.7 x 215.9 mm), 76 x 127 mm, 127 x 177.8 mm, Oficio (216 x 343 mm), 215.9 x 330.2 mm, 127 x 203.2 mm, JIS B6 (128 x 182 mm), 102 x 148 mm, RA4 (215 x 305 mm)

Envelope Sizes: International DL (110 x 220 mm), International C6 (114 x 162 mm), International C5 (162 x 229 mm), International B5 (176 x 250 mm)

Media Weight: 60 g/m² - 220 g/m²

Total Media Capacity: 650 sheets

Media Feeders: Bypass tray: 1 x automatic - 100 sheets - Legal (216 x 356 mm) weight: 60 g/m² - 220 g/m² ; Input tray: 1 x automatic - 550 sheets - 216 x 297 mm weight: 60 g/m² - 220 g/m² ; Output tray: automatic - 250 sheets

Max Media Capacity: 1200 sheets

Output Trays Capacity: 250 sheets