

Lenovo ThinkEdge SE10 - USFF - Atom x6425RE 1.9 GHz - 8 GB - SSD 64 GB, SSD 256 GB



In Stock(1)

SKU	12NH0002MT
Product Description:	Lenovo ThinkEdge SE10 - USFF - Atom x6425RE 1.9 GHz - 8 GB - SSD 64 GB, SSD 256 GB
Type:	Personal computer - ultra small form factor
Localisation:	Region: Nordics
Processor:	Intel Atom x6425RE / 1.9 GHz (Quad-Core)
Cache Memory:	1.5 MB
Cache Per Processor:	1.5 MB
RAM:	8 GB (installed) / 32 GB (max) - DDR4 SDRAM - IB-ECC

General

Type:	Personal computer
Product Form Factor:	Ultra small form factor
Embedded Security:	Discrete Trusted Platform Module (TPM 2.0) Security Chip
Colour:	Black
Localisation:	Region: Nordics

Processor / Chipset

CPU:	Intel Atom x6425RE
Clock Speed:	1.9 GHz
Number of Cores:	Quad-Core
CPU Qty:	1
Max CPU Qty:	1

Cache Memory

Installed Size:	1.5 MB
Cache Per Processor:	1.5 MB

RAM

Installed Size:	8 GB / 32 GB (max)
Technology:	DDR4 SDRAM - IB-ECC

Environmental Parameters

Min Operating Temperature:	-20 °C
Max Operating Temperature:	60 °C
Humidity Range Operating:	95% (non-condensing)

Dimensions & Weight

Width:	17.9 cm
Depth:	13.5 cm
Height:	3.45 cm
Weight:	1.5 kg

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years - on-site
--------------------	--------------------------------------

Operating System / Software

OS Provided:	Windows 10 IoT Enterprise 2021 LTSC Danish / English / Finnish / Norwegian / Swedish
--------------	---

Power

Device Type:	Power adapter
Voltage Required:	AC 100-240 V (50/60 Hz)
Power Provided:	65 Watt

RAM

Effective Memory Speed:	3200 MHz
Rated Memory Speed:	3200 MHz
Form Factor:	SO-DIMM 260-pin
Slots:	2 (Total) / 1 (empty)
Configuration Features:	1 x 8 GB

Hard Drive

Type:	SSD - eMMC
Capacity:	1 x 64 GB
Features:	eMMC 5.1

Hard Drive (2nd)

Type:	SSD - M.2 2280
Interface Class:	PCI Express
Capacity:	1 x 256 GB
Interface Type:	PCI Express 4.0 x4
Features:	TCG Opal Encryption 2.0, NVMe Express (NVMe)

Optical Storage

Type:	No optical drive
-------	------------------

Card Reader

Type:	Card reader
Supported Flash Memory Cards:	SD Memory Card

Monitor

Monitor Type:	None.
---------------	-------

Graphics Controller

Graphics Processor:	Intel UHD Graphics Shared Video Memory (UMA)
Video Interfaces:	HDMI, DisplayPort

Power

Efficiency:	88%
-------------	-----

Miscellaneous

Included Accessories:	VESA mounting kit, DIN-rail bracket, IP50 dust cover kit
VESA Mounting Interface:	100 x 100 mm, 75 x 75 mm
Compliant Standards:	RoHS, WEEE, Energy-Related Products (ErP) Lot 6, REACH, low halogen, Energy-Related Products (ErP) Lot 26, TED
Manufacturer Selling Program:	TopSeller

Expansion / Connectivity

Slots:	1 (total) / 0 (free) x M.2 Card (for SSD) ; 1 (total) / 1 (free) x M.2 Card (for WLAN)
Interfaces:	2 x serial (2 in front) ; 2 x USB 3.2 Gen 2 (2 in front) ; 1 x audio line-out (1 in front) ; 1 x microphone (1 in front) ; 1 x HDMI (1 rear) ; 1 x DisplayPort 1.4 (1 rear) ; 2 x USB 2.0 (2 rear) ; 2 x LAN (2.5Gigabit Ethernet) (2 rear) ; 2 x Wi-Fi aerial - RP-SMA

Networking

Interface (Bus) Type:	M.2 Card
Ethernet Ports:	2 x 2.5 Gigabit Ethernet
Ethernet Controller:	Intel I225-IT
Wireless LAN Supported:	Yes
Wireless NIC:	MediaTek MT7921
Data Link Protocol:	Ethernet, Fast Ethernet, Gigabit Ethernet, IEEE 802.11b, IEEE 802.11a, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, 2.5 Gigabit Ethernet, 802.11ax, Bluetooth 5.1
Features:	Wake on LAN (WoL), dual stream (2x2)

