

LG 65UM3DG-B UM3DG Series - 65" LED-backlit LCD display - 4K - for digital signage



02-11-2026

SKU	65UM3DG-B
Product Description:	LG 65UM3DG-B UM3DG Series - 65" LED-backlit LCD display - 4K - for digital signage
Product Type:	LED-backlit LCD flat panel display
Diagonal Class:	65"
Commercial Use:	Yes - digital signage
Colour:	Black
Resolution:	3840 x 2160
Display Format:	4K UHD (2160p)

General

Product Type:	LED-backlit LCD flat panel display
Energy Class:	Class G
Power Consumption (Max):	160 Watt
Power Consumption Operational:	105 Watt
Power Consumption SDR (On mode):	133 kWh/1000h
Diagonal Class:	65"
Commercial Use:	Yes - digital signage
Series:	UM3DG Series
Operating System:	webOS
TV Tuner:	No tuner
TV Tuner Presence:	No
Video Interface:	HDMI
HDMI Ports Qty:	3 ports
Modes:	Portrait mode, landscape mode
Picture Enhancements:	95% Colour Gamut
Design:	Narrow Bezel Design
Protection:	Dustproof
Dimensions:	Without stand

Environmental Parameters

Min Operating Temperature:	0 °C
Max Operating Temperature:	40 °C
Humidity Range Operating:	10 - 80%

Power

Power Device:	Power supply
Input Voltage:	AC 100-240 V (50/60 Hz)
Power Consumption (Off Mode):	0.5 Watt

Sustainability Information

ENERGY STAR Certified:	Yes
------------------------	-----

Miscellaneous

Cables Included:	Serial adapter
Compliant Standards:	FCC Class A certified, CB, EMC, KC, ERP, NRTL, IP5X, HDCP 2.2, HDCP 1.4

Connections

General

Width:	145.33 cm
Depth:	3.99 cm
Height:	83.28 cm
Weight:	28.2 kg
Enclosure Colour:	Black

Connections

Connector Type:	3 x HDMI USB 2.0 Audio line-out RS-232C input/output Remote control Infrared input
-----------------	--

Network & Internet Multimedia

Connectivity:	LAN
---------------	-----

Audio System

Features:	Built-in speaker
-----------	------------------

Remote Control

Type:	Remote control
-------	----------------

Media Player


Supported Video Formats:	HEVC
USB Port:	Yes
USB Ports Qty:	1

Stands & Mounts

Flat Panel Mount Interface:	300 x 300 mm
VESA Compatibility:	Yes

Display

LCD Display Technology:	IPS
Resolution:	3840 x 2160
Display Format:	4K UHD (2160p)
Image Aspect Ratio:	16:9
LCD Backlight Technology:	LED backlight
Coating:	1% haze
Image Contrast Ratio:	1200:1



Display

Dynamic Contrast Ratio:	500000:1
-------------------------	----------

Brightness:	350 cd/m ²
-------------	-----------------------

Viewing Angle:	178 degrees
----------------	-------------

Viewing Angle (Vertical):	178 degrees
---------------------------	-------------

Response Time:	8 ms
----------------	------

Commercial Features:	LG SuperSign Media Editor, SuperSign CMS compatible, SuperSign Control+ compatible, SuperSign Control compatible, SuperSign WB compatible, LG One:Quick Share compatible
----------------------	--

Operation Hours / Days:	18 / 7
-------------------------	--------

Features:	Crestron Connected Compatible, 10-bit support
-----------	---

