

OKI C600 Series C650DN - printer - colour - LED



In Stock(48)

SKU	09006144
Product Description:	OKI C600 Series C650DN - printer - colour - LED
Printer Type:	Workgroup printer - LED - colour
Weight:	28.2 kg
Localisation:	Europe
Media Size Class:	A4
Max Media Size:	216 x 1321 mm
Min Media Size (Custom):	55 mm x 91 mm

General

Printer Type:	Workgroup printer - LED - colour
Localisation:	Europe

Printer

Print Speed:	Up to 35 ppm - B/W - A4 (210 x 297 mm) ! Up to 35 ppm - colour - A4 (210 x 297 mm)
Connectivity Technology:	Wired
Interface:	USB 2.0, Gigabit LAN, USB 2.0 host
Max Resolution (B&W):	1200 x 1200 dpi
Max Resolution (Colour):	1200 x 1200 dpi
Automatic Duplexing:	Yes
PostScript Support:	Standard
First Print Out Time B/W:	6.5 sec
First Print Out Time Colour:	6.5 sec
Language Simulation:	PCL 5C, PostScript 3, EPSON FX, IBM PPR, PCL 6, PDF 2.0

Dimensions & Weight

Width:	39.5 cm
Depth:	43 cm
Height:	29 cm
Weight:	28.2 kg

Environmental Parameters

Min Operating Temperature:	10 °C
Max Operating Temperature:	32 °C
Humidity Range Operating:	20 - 80%
Sound Emission (Idle):	32 dBA
Sound Emission (Operating):	54 dBA

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Software / System Requirements

OS Required:	Microsoft Windows Server 2008, Microsoft Windows 7 (32/64 bits), Windows 8 (32/64 bits), Microsoft Windows Server 2008 R2 (32/64-bits), Windows 8.1 (32/64 bits), Microsoft Windows Server 2012 R2, Windows 10 (32/64 bits), Apple MacOS X 10.11 or later, Apple macOS 10.12 or later, Microsoft Windows Server 2019
--------------	--

Power

Printer

Fonts Included: 87 x scalable PCL | 80 x PostScript | 4 x bitmapped

Barcodes: Code 39, UCC/EAN-128, QR code, EAN/JAN-8, EAN/JAN-13, UPC-A, UPC-E, Codabar, Code 128, PDF417, OCR-A, OCR-B, ZIP

Media Handling: 100-sheet multipurpose tray, 250-sheet input tray

Processor

Processor: Cortex-A9

RAM

RAM Installed (Max): 1 GB / 1 GB (max)

Flash Memory

Flash Memory: 3 GB

Power

Power Device: Power supply - internal

Frequency Required: 50/60 Hz

Power Consumption Operational: 840 Watt

Power Consumption Stand by: 20 Watt

Power Consumption Sleep: 1.1 Watt

Miscellaneous

Consumables Included: 1 x toner cartridge (black) | 1 x toner cartridge (cyan) | 1 x toner cartridge (magenta) | 1 x toner cartridge (yellow) | 4 x drum

Expansion / Connectivity

Connections: 1 x USB 2.0 - 4 pin USB Type B | 1 x Gigabit LAN - RJ-45 | 1 x USB 2.0 host - 4 pin USB Type A

Networking

Networking: Print server

Remote Management Protocol: SNMP 3, HTTPS

Security Protocols & Features: Secure Print, SSL, TLS, 802.1x, IP filtering, MAC address filtering, Secure Erase

Duty Cycle

Monthly Duty Cycle (max): 100000 pages


Recommended Monthly Volume: 8000 pages

Media Handling

Media Type: Envelopes, plain paper, photo paper, postcards

Media Size Class: A4

Max Media Size: 216 x 1321 mm



Media Handling

Min Media Size (Custom):	55 mm x 91 mm
Max Media Size (Custom):	216 mm x 1321 mm
Media Sizes:	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), 100 x 150 mm, Folio (216 x 330 mm), Statement (139.7 x 215.9 mm), B6 (125 x 176 mm), 125 x 175 mm
Media Weight:	60 g/m ² - 256 g/m ²
Total Media Capacity:	350 sheets
Media Feeders:	Input tray: 1 - 250 sheets - A4 (210 x 297 mm) weight: 60 g/m ² - 256 g/m ² ; Multi-purpose tray: 1 - 100 sheets weight: 60 g/m ² - 256 g/m ²
Max Media Capacity:	1940 sheets
Output Trays Capacity:	150 sheets

