

OKI C824dn - printer - colour - LED



In Stock(1)

SKU	47228002
Product Description:	OKI C824dn - printer - colour - LED
Printer Type:	Workgroup printer - LED - colour
Weight:	40 kg
Localisation:	Europe
Media Size Class:	A3
Max Media Size:	A3 (297 x 420 mm)
Min Media Size (Custom):	127 mm x 182 mm

General

Printer Type:	Workgroup printer - LED - colour
Localisation:	Europe

Printer

Print Speed:	Up to 26 ppm - B/W - A4 (210 x 297 mm) ! Up to 26 ppm - colour - A4 (210 x 297 mm) ! Up to 14 ppm - B/W - A3 (297 x 420 mm) ! Up to 14 ppm - colour - A3 (297 x 420 mm)
Built-in Devices:	Status LCD
Connectivity Technology:	Wired
Interface:	USB 2.0, Gigabit LAN, USB 2.0 host
Max Resolution (B&W):	1200 x 600 dpi
Max Resolution (Colour):	1200 x 600 dpi
Automatic Duplexing:	Yes
First Print Out Time B/W:	8.5 sec
First Print Out Time Colour:	8.5 sec
Language Simulation:	PCL 5C, EPSON FX, IBM PPR, PCL 6, SIDM, PCL XL 3.0

Dimensions & Weight

Width:	44.9 cm
Depth:	55.2 cm
Height:	36 cm
Weight:	40 kg

Environmental Parameters

Min Operating Temperature:	10 °C
Max Operating Temperature:	32 °C
Humidity Range Operating:	20 - 80%
Sound Emission (Idle):	32 dBA
Sound Emission (Operating):	54 dBA

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years with product registration (within 30 days of purchase)
--------------------	---

Environmental Standards

ENERGY STAR:	Yes
--------------	-----

Software / System Requirements

Software Included:	OKI PrintSuperVision, OKI LPR, OKI Profile Assistant, OKI Color Correct, OKI Color Swatch Utility, OKI Network Extension, OKI Template Manager, OKI Print Job Accounting, OKI Configuration Tool, OKI Firmware Update Tool, OKI Network Card Setup
--------------------	--

Printer

Fonts Included:	87 x scalable PCL ; 4 x bitmapped PCL
Barcodes:	Code 39, UCC/EAN-128, QR code, EAN/JAN-8, EAN/JAN-13, UPC-A, UPC-E, Codabar, Code 128, Interleaved 2 of 5, Postnet, PDF417, OCR-A, OCR-B, ZIP
Media Handling:	100-sheet multipurpose tray, 300-sheet input tray

RAM

RAM Installed (Max):	1 GB / 1 GB (max)
----------------------	-------------------

Flash Memory

Flash Memory:	3 GB
---------------	------

Media Handling

Media Type:	Envelopes, plain paper
Media Size Class:	A3
Max Media Size:	A3 (297 x 420 mm)
Min Media Size (Custom):	127 mm x 182 mm
Max Media Size (Custom):	297 mm x 1321 mm
Media Sizes:	A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A3 (297 x 420 mm), B4 (250 x 353 mm), A6 (105 x 148 mm)
Envelope Sizes:	International DL (110 x 220 mm), Com-10 (105 x 241 mm), International C5 (162 x 229 mm), International C4 (229 x 324 mm)
Media Weight:	64 g/m ² - 256 g/m ²
Total Media Capacity:	400 sheets

Software / System Requirements

OS Required:	Linux, Microsoft Windows Vista (32/64 bits), Microsoft Windows Server 2008 R2 x64 Edition, Microsoft Windows 7 (32/64 bits), Microsoft Windows Server 2008 (32/64-bits), Windows 8 (32/64 bits), Microsoft Windows Server 2012 x64 Edition, Windows 8.1 (32/64 bits), Microsoft Windows Server 2012 R2 x64 Edition, Windows 10 (32/64 bits), Apple MacOS X 10.10 - 10.13
--------------	--

Power

Power Device:	Power supply - internal
Frequency Required:	50/60 Hz
Power Consumption Operational:	680 Watt
Power Consumption Stand by:	13 Watt
Power Consumption Sleep:	1 Watt

Miscellaneous

Consumables Included:	1 x toner cartridge (black) - up to 2500 pages ISO/IEC 19798 ; 1 x toner cartridge (cyan) - up to 2500 pages ISO/IEC 19798 ; 1 x toner cartridge (magenta) - up to 2500 pages ISO/IEC 19798 ; 1 x toner cartridge (yellow) - up to 2500 pages ISO/IEC 19798
-----------------------	---

Expansion / Connectivity

Connections:	1 x USB 2.0 - 4 pin USB Type B ; 1 x Gigabit LAN - RJ-45 ; 1 x USB 2.0 host - 4 pin USB Type A
--------------	--

Networking

Networking:	Print server
Remote Management Protocol:	SNMP 1, Telnet, SNMP 3, IPP, HTTP5, IPPS
Security Protocols & Features:	TLS, IPsec, 802.1x, SSL 3

Duty Cycle

Monthly Duty Cycle (max):	75000 pages
---------------------------	-------------

Media Handling

Media Feeders: Input tray: 1 x automatic - 300 sheets - A3 (297 x 420 mm) weight: 64 g/m² - 220 g/m² | Multi-purpose tray: 1 x automatic - 100 sheets weight: 64 g/m² - 256 g/m²

Max Media Capacity: 2450 sheets

Output Trays Capacity: 250 sheets

Duty Cycle

Recommended Monthly Volume: 5000 pages

