

OKI C844dnw - printer - colour - LED



03-05-2024

SKU	47074304
Product Description:	OKI C844dnw - printer - colour - LED
Printer Type:	Workgroup printer - LED - colour
Weight:	40 kg
Localisation:	Europe
Media Size Class:	A3
Max Media Size:	A3 (297 x 420 mm)
Min Media Size (Custom):	127 mm x 182 mm

General

Printer Type:	Workgroup printer - LED - colour
Localisation:	Europe

Printer

Print Speed:	Up to 36 ppm - B/W - A4 (210 x 297 mm) ! Up to 36 ppm - colour - A4 (210 x 297 mm) ! Up to 20 ppm - B/W - A3 (297 x 420 mm) ! Up to 20 ppm - colour - A3 (297 x 420 mm)
Built-in Devices:	Status LCD
Connectivity Technology:	Wired
Interface:	USB 2.0, Gigabit LAN, Wi-Fi(n), NFC, USB 2.0 host
AirPrint Enabled:	Yes
Max Resolution (B&W):	1200 x 1200 dpi
Max Resolution (Colour):	1200 x 1200 dpi
Automatic Duplexing:	Yes
PostScript Support:	Standard
First Print Out Time B/W:	6.3 sec

Dimensions & Weight

Width:	44.9 cm
Depth:	55.2 cm
Height:	36 cm
Weight:	40 kg

Environmental Parameters

Min Operating Temperature:	10 °C
Max Operating Temperature:	32 °C
Humidity Range Operating:	20 - 80%
Sound Emission (Idle):	32 dBA
Sound Emission (Operating):	54 dBA

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years with product registration (within 30 days of purchase)
--------------------	---

Environmental Standards

ENERGY STAR:	Yes
--------------	-----

Software / System Requirements

Software Included:	OKI PrintSuperVision, OKI LPR, OKI Profile Assistant, OKI Color Correct, OKI Color Swatch Utility, OKI Network Extension, OKI Template Manager, OKI PS Gamma Adjuster, OKI Print Job Accounting, OKI Configuration Tool, OKI Firmware Update Tool, OKI Network Card Setup
--------------------	---

Printer

First Print
Out Time
Colour: 6.3 sec

Language
Simulation: PCL 5C, PostScript 3, EPSON FX, IBM PPR,
PCL 6, SIDM, PCL XL 3.0, PDF 1.7

Fonts
Included: 87 x scalable PCL | 4 x bitmapped PCL |
80 x PostScript

Barcodes: Code 39, UCC/EAN-128, QR code,
EAN/JAN-8, EAN/JAN-13, UPC-A, UPC-E,
Codabar, Code 128, Interleaved 2 of 5,
Postnet, PDF417, OCR-A, OCR-B, ZIP

Media
Handling: 100-sheet multipurpose tray, 300-sheet
input tray

RAM

RAM Installed (Max): 1 GB / 1 GB (max)

Flash Memory

Flash Memory: 3 GB

Media Handling

Media
Type: Envelopes, plain paper

Media
Size
Class: A3

Max
Media
Size: A3 (297 x 420 mm)

Min
Media
Size
(Custom): 127 mm x 182 mm

Max
Media
Size
(Custom): 297 mm x 1321 mm

Media
Sizes: A4 (210 x 297 mm), A5 (148 x 210 mm), B5
(176 x 250 mm), A3 (297 x 420 mm), B4
(250 x 353 mm), A6 (105 x 148 mm)

Envelope
Sizes: International DL (110 x 220 mm), Com-10
(105 x 241 mm), International C5 (162 x 229
mm), International C4 (229 x 324 mm)

Software / System Requirements

OS
Required: Linux, Android, Microsoft Windows Vista
(32/64 bits), Microsoft Windows Server
2008 R2 x64 Edition, Microsoft Windows 7
(32/64 bits), Microsoft Windows Server
2008 (32/64-bits), Apple iOS, Windows 8
(32/64 bits), Microsoft Windows Server
2012 x64 Edition, Windows 8.1 (32/64 bits),
Microsoft Windows Server 2012 R2 x64
Edition, Windows 10 (32/64 bits), Apple
MacOS X 10.10 - 10.13

Power

Power Device: Power supply -
internal

Frequency Required: 50/60 Hz

Power Consumption
Operational: 680 Watt

Power Consumption Stand by: 13 Watt

Power Consumption Sleep: 1 Watt

Miscellaneous

Consumables
Included: 1 x toner cartridge (black) - up to 2500
pages ISO/IEC 19798 | 1 x toner cartridge
(cyan) - up to 2500 pages ISO/IEC
19798 | 1 x toner cartridge (magenta) -
up to 2500 pages ISO/IEC 19798 | 1 x
toner cartridge (yellow) - up to 2500
pages ISO/IEC 19798

Expansion / Connectivity

Connections: 1 x USB 2.0 - 4 pin USB Type B | 1 x
Gigabit LAN - RJ-45 | 1 x USB 2.0 host - 4
pin USB Type A

Networking

Networking: Print server

Remote Management
Protocol: SNMP 1, Telnet, SNMP 3, IPP,
HTTPS, IPPS

Security Protocols &
Features: TLS, IPsec, 802.1x, SSL 3

Duty Cycle

Monthly Duty Cycle (max): 75000 pages

Media Handling

Media Weight:	64 g/m ² - 256 g/m ²
---------------	--

Total Media Capacity:	400 sheets
-----------------------	------------

Media Feeders:	Input tray: 1 x automatic - 300 sheets - A3 (297 x 420 mm) weight: 64 g/m ² - 220 g/m ² ; Multi-purpose tray: 1 x automatic - 100 sheets weight: 64 g/m ² - 256 g/m ²
----------------	---

Max Media Capacity:	2450 sheets
---------------------	-------------

Output Trays Capacity:	250 sheets
------------------------	------------

Duty Cycle

Recommended Monthly Volume:	5000 pages
-----------------------------	------------

