

OKI MC853DNP - multifunction printer - colour



In Stock(1)

SKU	45850602
Product Description:	OKI MC853DNP - multifunction printer - colour
Device Type:	Multifunction printer
Fax Type:	Super G3 - plain paper
Printing Technology:	LED (colour)
Monthly Duty Cycle (max):	60000 pages
Recommended Monthly Volume:	8000 pages
Max Copying Speed:	Up to 23 ppm (mono) / up to 23 ppm (colour)

General

Device Type:	Multifunction printer
Fax Type:	Plain paper
Printing Technology:	LED - colour
Monthly Duty Cycle (max):	60000 pages
Recommended Monthly Volume:	8000 pages
Display Diagonal Size:	7"
Display Features:	Touch screen
Connection Availability:	Yes
Interface:	USB 2.0, Gigabit LAN, USB host
AirPrint Enabled:	Yes

Office Machine Features: Save to USB flash drive, scan to e-mail, scan to folder

Memory

Standard Memory:	1.25 GB
Hard Disk Drive:	250 GB

Copying

Max Copying Speed:	Up to 23 ppm (mono) / up to 23 ppm (colour)
--------------------	---

Environmental Parameters

Sound Emission:	37 dBA (idle) / 54 dBA (operating)
Min Operating Temperature:	10 °C
Max Operating Temperature:	32 °C
Humidity Range Operating:	20 - 80%

Dimensions & Weight

Width:	56.3 cm
Depth:	60 cm
Height:	121.6 cm
Weight:	89.3 kg

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Environmental Standards

ENERGY STAR Certified:	Yes
------------------------	-----

Miscellaneous

Warm-Up Time:	32 sec
---------------	--------

Copying

Max Copying Resolution:	Up to 600 dpi (mono) / up to 600 dpi (colour)
Preset Enlargements:	400%
Preset Reductions:	25%
Maximum Copies:	999
Automatic Duplexing:	Yes

Printing

Max Printing Resolution:	Up to 1200 x 600 dpi (mono) / up to 1200 x 600 dpi (colour)
Max Printing Speed:	Up to 23 ppm (mono) / up to 23 ppm (colour)
Printer Drivers / Emulations:	PCL 6, PostScript 3, PCL 5c, IBM Proprinter, PDF 1.7, XPS, EPSON FX
Image Enhancement Technology:	OKI ProQ2400 Multilevel
Automatic Duplexing:	Yes
First Print Out Time B/W:	14 sec
First Print Out Time Colour:	14 sec

Scanning

Automatic Duplexing:	Yes
Optical Resolution:	600 x 600 dpi
Colour Depth:	24-bit

Fax Machine

Compatibility:	Super G3
Max Transmission Speed:	33.6 Kbps
Total Memory Capacity:	Up to 400 pages

Fax Machine Features

One-Touch Dialing:	40 station(s)
Speed Dialing:	1000 station(s)

Miscellaneous

First Copy Out Time B/W:	14.5 sec
First Copy Out Time Colour:	14.5 sec
Included Accessories:	Caster base
Consumables Included:	1 x toner cartridge (black) - up to 2500 pages ; 1 x toner cartridge (cyan) - up to 2500 pages ; 1 x toner cartridge (magenta) - up to 2500 pages ; 1 x toner cartridge (yellow) - up to 2500 pages
Compatible with Windows 7:	"Compatible with Windows 7" software and devices carry Microsoft's assurance that these products have passed tests for compatibility and reliability with 32-bit and 64-bit Windows 7.

Power

Voltage Required:	AC 230 V (50/60Hz)
Power Consumption Operational:	1400 Watt
Power Consumption Standby:	120 Watt
Power Consumption Sleep:	30 Watt

Connections

Interfaces:	1 x USB 2.0 - 4 pin USB Type B ; 1 x Gigabit LAN - RJ-45 ; 2 x USB host - 4 pin USB Type A
Security Protocols & Features:	LDAP, SSL, TLS, IPsec, 802.1x, IP filtering, MAC address filtering
Operating System Support:	Linux, MS Windows Server 2008 R2 x64 Edition, MS Windows Server 2012 x64 Edition, MS Windows Server 2003 (32/64-bits), MS Windows Server 2008 (32/64-bits), MS Windows Server 2012 R2 x64 Edition, MS Windows Vista (32/64 bits), MS Windows 7 (32/64 bits), Apple Mac OS X 10.6.8 - 10.10, Windows 8 (32/64-bits), Windows 8.1 (32/64-bits)

Software Included:	OKI PrintSuperVision, OKI Color Swatch Utility, OKI Template Manager, OKI LPR, ABBYY FineReader 12 Sprint, SENDYS Explorer LITE
--------------------	---

Fax Machine Features

Broadcast Transmission:	100 stations
Features:	Group dialling

Document & Media Handling

Min Original Size:	A6 (105 x 148 mm)
Max Original Size:	297 x 431.8 mm
Original Type:	Sheets
Document Feeder Capacity:	100 sheets
Min Media Size:	A6 (105 x 148 mm)
Max Media Size:	A3
Min Media Weight:	60 g/m ²
Max Media Weight:	256 g/m ²
Supported Media Type:	Transparencies, envelopes, plain paper, labels, banner
Supported Media Sizes:	A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A3 (297 x 420 mm), B4 (250 x 353 mm), A6 (105 x 148 mm), B6 (125 x 176 mm)
Supported Envelope Sizes:	International DL (110 x 220 mm), Com-10 (105 x 241 mm), International C5 (162 x 229 mm), International C4 (229 x 324 mm)
Standard Media Capacity:	2005 sheets
Bypass Feeder Capacity:	100 sheets
Output Trays Capacity:	450 sheets



Document & Media Handling

RADF - 100 sheets size: B5 (176 x 250 mm)
- A3 (297 x 420 mm) weight: 60 g/m² - 120
g/m² | Bypass tray - 100 sheets size: A6
Document (105 x 148 mm) - 297 x 1321 mm weight: 64
& **Media** g/m² - 256 g/m² | Input tray - 300 sheets
Handling size: B5 (176 x 250 mm) - A3 (297 x 420
Details: mm) weight: 64 g/m² - 220 g/m² | 3 x
input tray - 535 sheets size: B5 (176 x 250
mm) - A3 (297 x 420 mm) weight: 64 g/m²
- 176 g/m²

Speed Copying: up to 23 ppm (A4) - B/W |
Details: Copying: up to 23 ppm (A4) - colour |
Printing: up to 23 ppm (A4) - B/W |
Printing: up to 23 ppm (A4) - colour |
Printing: up to 13 ppm (A3) - B/W | Printing:
up to 13 ppm (A3) - colour | Scanning: up to
50 spm - B/W | Scanning: up to 50 spm -
colour

