

OKI MC883dncv - multifunction printer - colour



In Stock(4)

SKU	09006109
Product Description:	OKI MC883dncv - multifunction printer - colour
Device Type:	Multifunction printer
Fax Type:	Super G3 - plain paper
Printing Technology:	LED (colour)
Monthly Duty Cycle (max):	75000 pages
Recommended Monthly Volume:	10000 pages
Max Copying Speed:	Up to 35 ppm (mono) / up to 35 ppm (colour)

General

Device Type:	Multifunction printer
Fax Type:	Plain paper
Printing Technology:	LED - colour
Monthly Duty Cycle (max):	75000 pages
Recommended Monthly Volume:	10000 pages
Display Diagonal Size:	7"
Display Colour Support:	Colour
Display Features:	Touch screen
Connection Availability:	Yes
Interface:	USB 2.0, Gigabit LAN, USB 2.0 host
Office Machine Features:	Save to USB flash drive, scan to e-mail, save to network folder, scan to FTP

Memory

Standard Memory:	1.25 GB
Max Supported Memory:	1.25 GB
Hard Disk Drive:	250 GB

Environmental Parameters

Sound Emission:	37 dBA (idle) / 54 dBA (operating)
Min Operating Temperature:	10 °C
Max Operating Temperature:	32 °C
Humidity Range Operating:	20 - 80%

Dimensions & Weight

Width:	56.3 cm
Depth:	60 cm

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years with product registration
--------------------	--

Environmental Standards

Blue Angel Compliant:	Yes
-----------------------	-----

Miscellaneous

Warm-Up Time:	32 sec
First Copy Out Time B/W:	10 sec

Copying

Max Copying Speed:	Up to 35 ppm (mono) / up to 35 ppm (colour)
Max Copying Resolution:	Up to 1200 x 1200 dpi (mono) / up to 1200 x 1200 dpi (colour)
Preset Enlargements:	400%
Preset Reductions:	25%
Maximum Copies:	999
Automatic Duplexing:	Yes

Printing

Max Printing Resolution:	Up to 1200 x 1200 dpi (mono) / up to 1200 x 1200 dpi (colour)
Max Printing Speed:	Up to 35 ppm (mono) / up to 35 ppm (colour)
Printer Drivers / Emulations:	PostScript 3, PCL 5c, IBM Proprinter, PCL 6 (XL), PDF 1.7, XPS, EPSON FX
Automatic Duplexing:	Yes
First Print Out Time B/W:	9.5 sec
First Print Out Time Colour:	9.5 sec

Scanning

Scan Element:	CIS
Automatic Duplexing:	Yes
Optical Resolution:	600 x 600 dpi

Fax Machine

Compatibility:	Super G3
Max Transmission Speed:	33.6 Kbps
Data Compression System:	MH, MR, MMR, JBIG
Total Memory Capacity:	Up to 8192 pages
PC Faxing:	Yes

Fax Machine Features

Miscellaneous

First Copy Out Time	10 sec
Colour:	

Included Accessories:	Phone cable, caster base
-----------------------	--------------------------

Consumables Included:	1 x toner cartridge (black) ; 1 x toner cartridge (cyan) ; 1 x toner cartridge (magenta) ; 1 x toner cartridge (yellow)
-----------------------	---

Compliant Standards:	GS, EMC
----------------------	---------

Power

Voltage Required:	AC 230 V (50/60Hz)
-------------------	--------------------

Power Consumption Operational:	1400 Watt
--------------------------------	-----------

Power Consumption Standby:	120 Watt
----------------------------	----------

Power Consumption Sleep:	3 Watt
--------------------------	--------

Connections

Interfaces:	1 x USB 2.0 - 4 pin USB Type B ; 1 x Gigabit LAN - RJ-45 ; USB 2.0 host - 4 pin USB Type A ; 2 x phone line - RJ-11
-------------	---

Security Protocols & Features:	LDAP, Secure Print
--------------------------------	--------------------

Operating System Support:	Linux, MS Windows Server 2008 R2, MS Windows Server 2012, MS Windows Server 2012 R2, MS Windows Server 2003 (32/64-bits), MS Windows Server 2008 (32/64-bits), MS Windows Vista (32/64 bits), MS Windows 7 (32/64 bits), Windows 8 (32/64-bits), Windows 8.1 (32/64-bits), Apple Mac OS X 10.6 - 10.10
---------------------------	--

Software Included:	ABBYY FineReader Sprint, OKI smartPrintSuperVision, SENDYS Explorer
--------------------	---

Finishing Equipment

Stapler:	Included
----------	----------

Document & Media Handling

Fax Machine Features

One-Touch Dialing:	40 station(s)
Speed Dialing:	1000 station(s)
Broadcast Transmission:	320 stations

Document & Media Handling

Min Original Size:	105 x 148 mm
--------------------	--------------

Max Original Size:	A3/Ledger (297 x 432 mm)
--------------------	--------------------------

Supported Original Sizes:	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A3 (297 x 420 mm), B4 (250 x 353 mm), A6 (105 x 148 mm), Folio (216 x 330 mm), Statement (139.7 x 215.9 mm), Tabloid (279 x 432 mm)
---------------------------	--

Original Type:	Sheets, books
----------------	---------------

Document Feeder Capacity:	100 sheets
---------------------------	------------

Min Media Size:	64 x 90 mm
-----------------	------------

Max Media Size:	A3
-----------------	----

Min Media Weight:	64 g/m ²
-------------------	---------------------


Max Media Weight:	220 g/m ²
-------------------	----------------------

Supported Media Type:	Envelopes, plain paper, cards
-----------------------	-------------------------------

Supported Media Sizes:	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A3 (297 x 420 mm), B4 (250 x 353 mm), A6 (105 x 148 mm), Folio (216 x 330 mm), Statement (139.7 x 215.9 mm), 297 x 1321 mm, Tabloid (279 x 432 mm), 64 x 90 mm
------------------------	---

Standard Media Capacity:	2005 sheets
--------------------------	-------------

Max Media Capacity:	2005 sheets
---------------------	-------------



Document & Media Handling

Bypass Feeder Capacity:	100 sheets
--------------------------------	------------

Output Trays Capacity:	350 sheets
-------------------------------	------------

Document & Media Handling Details:	RADF - 100 sheets size: 105 x 148 mm - A3/Ledger (297 x 432 mm) weight: 60 g/m ² - 120 g/m ² ; Multi-purpose tray - 100 sheets size: 64 x 90 mm - 297 x 1321 mm weight: 64 g/m ² - 256 g/m ² ; Input tray - 300 sheets weight: 64 g/m ² - 220 g/m ² ; 3 x input tray - 535 sheets weight: 64 g/m ² - 176 g/m ² ; Output tray - 350 sheets
---	---

Speed Details:	Copying: up to 35 ppm (A4) - B/W ; Copying: up to 35 ppm (A4) - colour ; Printing: up to 35 ppm (A4) - B/W landscape ; Printing: up to 35 ppm (A4) - colour landscape ; Printing: up to 20 ppm (A3) - B/W landscape ; Printing: up to 20 ppm (A3) - colour landscape ; Scanning: up to 50 ipm - B/W ; Scanning: up to 50 ipm - colour ; Scanning: up to 17 ipm - B/W duplex ; Scanning: up to 17 ipm - colour duplex
-----------------------	--

