

Synology Disk Station DS1621+ - NAS server

In Stock(4)

SKU	DS1621+
Product Description:	Synology Disk Station DS1621+ - NAS server
Device Type:	NAS server
Host Connectivity:	Gigabit Ethernet
Installed Devices / Modules Qty:	0 (installed) / 6 (max)
Dimensions (WxDxH):	28.2 cm x 24.3 cm x 16.6 cm
Weight:	5.1 kg ()
Processor:	1 x AMD Ryzen Embedded V1500B 2.2 GHz (Quad-Core)

General

Device Type:	NAS server
Host Connectivity:	Gigabit Ethernet
Installed Devices / Modules Qty:	0 (installed) / 6 (max)
Width:	28.2 cm
Depth:	24.3 cm
Height:	16.6 cm
Weight:	5.1 kg ()
Enclosure Colour:	Black
Built-in Devices:	Led panel

Processor / Memory

Processors Installed:	1 x AMD Ryzen Embedded V1500B 2.2 GHz
Number of Cores:	Quad-Core
Max Supported Qty:	1
RAM:	4 GB (installed) / 32 GB (supported) - DDR4

Storage Controller

Type:	RAID
Interface Type:	SATA 6Gb/s

Environmental Parameters

Min Operating Temperature:	0 °C
Max Operating Temperature:	40 °C
Humidity Range Operating:	5 - 95%
Sound Emission:	25.2 dBA

Manufacturer Warranty

Service & Support:	Limited warranty - 3 years
--------------------	----------------------------

Software / System Requirements

Software Included:	McAfee AntiVirus, Synology Central Management System
--------------------	--

Power

Power Device:	Internal power supply
Voltage Required:	AC 120/230 V (50/60 Hz)
Power Consumption Operational:	51.22 Watt
Power Consumption Stand by:	25.27 Watt
Power Provided:	250 Watt

Miscellaneous

Cables Included:	2 x network cable
------------------	-------------------

Storage Controller

RAID Level: RAID 0, RAID 1, RAID 5, RAID 6, RAID 10, JBOD

Miscellaneous

Features: Security lock slot (cable lock sold separately), wake on LAN, built-in 2 cooling fans, Citrix Ready, VMware Ready

Security Slot Type: Kensington security slot

Compliant Standards: VCCI, BSMI, CCC, FCC, RoHS, EAC, RCM

Included Accessories: Accessory pack

Expansion / Connectivity

Expansion Bays: 6 (total) / 6 (free) x hot-swap - 2.5" / 3.5"

Expansion Slots: 2 (total) / 1 (free) x DIMM 288-pin ; 2 (total) / 2 (free) x M.2 2280 ; 1 (total) / 1 (free) x PCI Express 3.0 x8

Interfaces: 3 x USB 3.0 - Type A ; 4 x Ethernet 1000Base-T - RJ-45 ; 2 x eSATA


Networking

Data Link Protocol: 10Mb LAN, 100Mb LAN, 1GbE

Network / Transport Protocol: iSCSI

Remote Management Protocol: SNMP, Telnet, HTTP, HTTPS, TFTP, SSH

Network Services Compatibility: Microsoft Active Directory (AD), File Level Security (ACLs), Microsoft CIFS, Network File System (NFS), FTP, Apple File Protocol (AFP), Web-based Distributed Authoring and Versioning (WebDAV), Calendaring Extensions to WebDAV (CalDAV)



Networking

Features:

Hardware encryption, VPN support, wake on LAN (WOL), Syslog support, High Availability, download client, file sharing, Trivial File Transfer Protocol (TFTP) support, Access Control List (ACL) support, surveillance station, PXE support, DLNA Media Server, Apple Time Machine compatible, WebDAV server, VPN Server, anti-virus protection, Link Aggregation, failover protection, DLNA support, OpenStack compatible, SSD trim, iSCSI LUN clone/snapshot, Windows ODX, cloud station server, MailPlus server, Rsync compatible, Synology Hybrid RAID

Compliant Standards:

DLNA CERTIFIED

