

Zebra TC26 - data collection terminal - Android 10 - 32 GB - 5" - 3G, 4G - TAA Compliant



11-07-2024

SKU	TC26BK-1HD224-A6
Product Description:	Zebra TC26 - data collection terminal - Android 10 - 32 GB - 5" - 3G, 4G - TAA Compliant
Product Type:	Data collection terminal - rugged
Operating System:	Android 10
Display:	5" colour LED backlight - 1280 x 720 - Multi-Touch
Processor:	Qualcomm Snapdragon 660 660 (8-core)
Processor Clock Speed:	1.8 GHz
Storage:	32 GB

General

Product Type:	Data collection terminal - rugged
Operating System:	Android 10

Display

Type:	5" colour - LED backlight
Resolution:	1280 x 720
Touchscreen:	Multi-Touch
Image Aspect Ratio:	16:9

Features:	Corning Gorilla glass, capacitive touch screen
-----------	--

Processor

Processor:	Qualcomm Snapdragon 660 660
Processor Clock Speed:	1.8 GHz
Number of Cores:	8-core

Memory

Storage:	32 GB
RAM:	3 GB
Supported Flash Memory Cards:	microSD, microSDHC, microSDXC
Max Supported Capacity:	128 GB

Environmental Parameters

Min Operating Temperature:	-10 °C
Max Operating Temperature:	50 °C
Humidity Range Operating:	5 - 95% (non-condensing)
Min Storage Temperature:	-30 °C
Max Storage Temperature:	70 °C

Manufacturer Warranty

Service & Support:	Limited warranty - 1 year
--------------------	---------------------------

Dimensions & Weight

Width:	7.9 cm
Depth:	1.37 cm
Height:	15.8 cm
Weight:	236 g

Miscellaneous

Communications

Cellular Technology: 3G, 4G

Cellular Protocols: GSM, UMTS, FDD LTE, TDD LTE

Band: GSM 850/900/1800/1900 / UMTS / LTE B1/B19/B2/B20/B28/B3/B38/B4/B40/B41/B5/B7/B8

Wireless Connectivity: 802.11a/b/g/n/ac, NFC, Bluetooth 5.0 LE

Security Protocols & Features: LEAP, WPA, WPA2, TKIP, AES, EAP-TTLS, EAP-TLS, WPA2-Enterprise, PAP, PEAPv0, PEAPv1, EAP-GTC, EAP-MSCHAPv2, EAP-MSCHAP, EAP-PWD, WPA-Enterprise

Rear Camera

Sensor Resolution: 13 Megapixel

Front Camera

Sensor Resolution: 5 Megapixel

Navigation System

Receiver: A-GPS/GPS/GLONASS/Gallileo/Beidou

Multimedia

Audio: Two microphones, speaker

Input Device

Type: Touch-screen

RFID

RFID Specification: ISO 15693, Mifare, Felica, ISO 14443A, ISO 14443B

Software

Preloaded Software: Google Mobile Services

Expansion and Connectivity

Expansion Slots: 1 x microSDXC | 1 x Nano-SIM card

Interfaces: 1 x USB-C/USB 2.0

USB Host: Yes

Miscellaneous

Sensors: Ambient light sensor, proximity sensor, 3-axis accelerometer with MEMS gyro

Features: Audible alarm, Interactive Sensor Technology (IST), LED indicator, capacitive touch screen, SecureBoot, replaceable battery, Drop Protection, 1.2 m drop to concrete resistant, verified boot, ESD protection up to 8 kV (direct), ESD protection up to 15 kV (air), back alert button

Vibrating Alert: Yes

Included Accessories: Power adapter

Compliant Standards: AES, MIL-STD 810G, IP67, RoHS 2011/65/EU, TLS, GMS, REACH SvHC, REACH 2006/1907, SAE, Directive 2015/863, WPA-PSK, WPA2-PSK, TKIP

Localisation: Rest of World

TAA Compliant: Yes

Battery

Technology: Lithium Ion

Capacity: 3300 mAh

